



**HOROZ<sup>®</sup>**

**ELECTRIC**



**2018**  
CATALOGUE





# HOROZ®

# ELECTRIC



[www.facebook.com/horozelectric](https://www.facebook.com/horozelectric)



[twitter.com/HorozElectric](https://twitter.com/HorozElectric)



[www.linkedin.com/company/horozk-elektrik-ve-elektronik-tic-koll-siti](https://www.linkedin.com/company/horozk-elektrik-ve-elektronik-tic-koll-siti)

**KaçmazGrup**

[www.horozelektrik.com](http://www.horozelektrik.com)



High Quality High Performance

<b>ADHESIVE TAPE</b> _____	<b>173</b>	<b>LED PROJECTOR</b> _____	<b>118</b>
BATHROOM LAMP_____	96	LED READING LAMP_____	100
<b>CABLE REEL</b> _____	<b>176</b>	<b>LED SOLAR LAMP</b> _____	<b>148</b>
CABLE TIE_____	174	LED SPOTLIGHT_____	49
<b>CEILING LAMP</b> _____	<b>80</b>	<b>LED STREET LIGHT</b> _____	<b>132</b>
COMPACT CONNECTOR_____	175	LED STRIP_____	156
<b>CONNECTOR</b> _____	<b>173</b>	<b>LED SUSPENSION LIGHT</b> _____	<b>51</b>
DESK LAMP_____	106	LED TRACK LIGHT_____	44
<b>DOORBELL</b> _____	<b>168</b>	<b>LED TUBE</b> _____	<b>13</b>
DOWNLIGHT_____	72	LED WALL LIGHT_____	77
<b>DRYWALL KIT APPARATUS</b> _____	<b>173</b>	<b>LED WALLWASHER</b> _____	<b>127</b>
ELECTRONIC TRANSFORMER_____	173	LED WATERPROOF LAMP_____	110
<b>ELECTRONIC WALL LAMP</b> _____	<b>109</b>	<b>LIGHT CONTROL PHOTODIODE</b> _____	<b>170</b>
EMERGENCY LED LANTERN_____	165	LIGHTING TRACK_____	50
<b>ENERGY SAVING LAMP</b> _____	<b>14</b>	<b>MAGNETIC WALL LAMP</b> _____	<b>113</b>
FLOOR LAMP_____	102	MERCURY LAMP_____	21
<b>FLUORESCENT LOUVER FITTING</b> _____	<b>109</b>	<b>METAL HALIDE LAMP</b> _____	<b>22</b>
FLUORESCENT TUBE_____	17	METAL HALIDE PROJECTOR_____	125
<b>GARDEN LAMP</b> _____	<b>134</b>	<b>NEW</b> <b>MODULE LED AND APPARATUS</b> _____	<b>117</b>
HALOGEN DOWNLIGHT_____	23	NAIL CABLE CLIP_____	174
<b>HALOGEN LAMP</b> _____	<b>17</b>	<b>PENDANT LAMP</b> _____	<b>66</b>
HALOGEN PROJECTOR_____	125	PICTURE & MIRROR LAMP_____	100
<b>HIGH BAY LAMP</b> _____	<b>114</b>	<b>NEW</b> <b>PLUG IN SWITCH</b> _____	<b>171</b>
INCANDESCENT LAMP_____	19	PROJECTOR STAND_____	124
<b>INGROUND &amp; RECESSED TYPE LED LAMP</b> _____	<b>150</b>	<b>RECESSED MONOPOINT</b> _____	<b>50</b>
LAMP HOLDER_____	172	RECHARGEABLE LED SOLAR CAMPING LIGHT_____	162
<b>LED ROPELIGHT</b> _____	<b>158</b>	<b>REFLECTOR LAMP</b> _____	<b>20</b>
LED BATTEN LIGHT_____	108	RG6_____	174
<b>LED BULKHEAD LAMP</b> _____	<b>130</b>	<b>RGB AMPLIFIER</b> _____	<b>159</b>
<b>NEW</b> LED CANOPY LIGHT_____	126	RGB CONTROLLER_____	159
<b>LED CAPSULE</b> _____	<b>10</b>	<b>SENSOR</b> _____	<b>169</b>
LED CEILING LAMP_____	89	SOCKET_____	173
<b>NEW</b> <b>LED CHRISTMAS LIGHT &amp; DRIVERS</b> _____	<b>155</b>	<b>STARTER</b> _____	<b>173</b>
<b>NEW</b> LED DECORATIVE CEILING LAMP_____	73	STREET LIGHT_____	131
<b>LED DESK LAMP</b> _____	<b>103</b>	<b>TERMINAL BLOCK</b> _____	<b>175</b>
LED DOWNLIGHT_____	26	TIMER_____	171
<b>LED DRIVER</b> _____	<b>160</b>	<b>TRACK CONNECTOR</b> _____	<b>50</b>
LED FLOOR LAMP_____	101	UTP CAT5E_____	174
<b>LED GARDEN LAMP</b> _____	<b>137</b>	<b>UTP CAT6E</b> _____	<b>174</b>
LED HEADLIGHT_____	164	WALL LIGHT_____	77
<b>LED HIGH BAY LAMP</b> _____	<b>115</b>	<b>WATERPROOF LAMP</b> _____	<b>113</b>
LED LAMP_____	02	WATERPROOF LED DRIVER_____	161
<b>LED NIGHT LAMP</b> _____	<b>167</b>	<b>NEW</b> <b>WATERPROOF NEON LED STRIP</b> _____	<b>158</b>
LED PANEL_____	39	WIRE SPRING CONNECTOR_____	175
<b>LED PENDANT LAMP</b> _____	<b>70</b>	<b>WIRELESS LIGHTING CONTROLLER SWITCH</b> _____	<b>171</b>
LED PICTURE & MIRROR LAMP_____	97		



**HOROZ ELECTRIC**


# LED Lamp / LED Tube / LED Capsule

## PREMIER-5

001 006 0005

HL 4305L

- 500 lm
- 3000K / 4200K / 6400K
- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs




## PREMIER-8

001 006 0008

HL 4308L

- 850 lm
- 3000K / 4200K / 6400K
- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs



**HOROZ ELECTRIC**

## LED Lamp/LED Tube / LED Capsule




## PREMIER-10

001 006 0010

HL 4310L

- 1000 lm
- 3000K / 4200K / 6400K
- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs




## PREMIER-12

001 006 0012

HL 4312L

- 1050 lm
- 3000K / 4200K / 6400K
- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs




## PREMIER-15

001 006 0015



- 1400 lm
- 3000K / 4200K / 6400K
- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs



LED LAMP / LED TUBE / LED CAPSULE




3 6 0 °

## INFINITY

001 018 0008

360°

- 220-240V / 50-60 Hz
- Average Life: 25000 Hrs
- 8W
- 600 Lm
- 3000K / 4200K / 6400K




D I M M A B L E

## EXPERT-10

001 021 0010

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 900 lm
- 3000K / 4200K / 6400K





### FONIX-4

- 250 lm
- 3000K / 4200K / 6400K
- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs

001 001 0004

GU5.3



### PLUS-4

- 250 lm
- 3000K / 4200K / 6400K
- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs

001 002 0004

GU10



### FONIX-6

- 390 lm
- 3000K / 4200K / 6400K
- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs

001 001 0006

GU5.3



### PLUS-6

- 390 lm
- 3000K / 4200K / 6400K
- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs

001 002 0006

GU10



### FONIX-8

- 630 lm
- 3000K / 4200K / 6400K
- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs

001 001 0008

GU5.3



### PLUS-8

- 630 lm
- 3000K / 4200K / 6400K
- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs

001 002 0008

GU10



## D I M M A B L E

### VISION-6

- 390 lm
- 3000K / 4200K / 6400K
- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs

001 022 0006

GU10



LED LAMP / LED TUBE / LED CAPSULE



LED LAMP / LED TUBE / LED CAPSULE


## ULTRA-4

001 003 0004

HL 4360L



- 250 lm
- 3000K / 4200K / 6400K
- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs




## ULTRA-6

001 003 0006



- 480 lm
- 3000K / 4200K / 6400K
- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs




## CRAFT-4

001 004 0004

HL 4370L



- 250 lm
- 3000K / 4200K / 6400K
- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs




## CRAFT-6

001 004 0006



- 480 lm
- 3000K / 4200K / 6400K
- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs




## ELITE-4

001 005 0004

HL 4380L E14



- 250 lm
- 3000K / 4200K / 6400K
- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs




## ELITE-6

001 005 0006

E14



- 480 lm
- 3000K / 4200K / 6400K
- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs




## ELITE-4

001 005 0004

HL 4380L E27



- 250 lm
- 3000K / 4200K / 6400K
- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs




## ELITE-6

001 005 0006

E27



- 480 lm
- 3000K / 4200K / 6400K
- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs





## GLOBE-16

001 019 0016

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 1400 lm
- 3000K / 4200K / 6400K



## GLOBE-20

001 020 0020


- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 1650 lm
- 3000K / 4200K / 6400K



## TORCH-20

001 016 0020


- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 1500 lm
- 3000K / 4200K / 6400K



## TORCH-30

001 016 0030


- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 2000 lm
- 3000K / 4200K / 6400K



## TORCH-40

001 016 0040


- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3150 lm
- 3000K / 4200K / 6400K



## TORCH-50

001 016 0050

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 4000 lm
- 3000K / 4200K / 6400K





## UFO-15

001 044 0015


- 160-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 900 lm
- 4200K



## REFLED-4

001 039 0004


- 175-250V / 50-60 Hz
- Average Life: 25.000 Hrs
- 4W
- 210 lm
- 4200K



## REFLED-6

001 040 0006


- 175-250V / 50-60 Hz
- Average Life: 25.000 Hrs
- 6W
- 480 lm
- 4200K



## REFLED-10

001 041 0010


- 175-250V / 50-60 Hz
- Average Life: 25.000 Hrs
- 10W
- 720 lm
- 4200K



## REFLED-12

001 042 0012

- 175-250V / 50-60 Hz
- Average Life: 25.000 Hrs
- 12W
- 1000 lm
- 4200K








### FILAMENT CANDLE-2

001 013 0002


- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 160 lm
- 2700K / 4200K



### FILAMENT CANDLE-4

001 013 0004

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 320 lm
- 2700K / 4200K



### FILAMENT FLAME-2

001 014 0002


- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 160 lm
- 2700K / 4200K



### FILAMENT FLAME-4

001 014 0004


- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 320 lm
- 2700K / 4200K



### FILAMENT GLOBE-4

001 015 0004


- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 320 lm
- 2700K / 4200K



### FILAMENT GLOBE-6

001 015 0006


- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 400 lm
- 2700K / 4200K



### FILAMENT GLOBE-8

001 015 0008

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 500 lm
- 2700K / 4200K





### RUSTIC VINTAGE - 4

001 029 0004



- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 360 lm
- 2200K



FILAMENT LED




### RUSTIC VINTAGE - 6

001 029 0006



- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 540 lm
- 2200K



FILAMENT LED



### RUSTIC GLOBE - 4

001 030 0004



- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 360 lm
- 2200K



FILAMENT LED



### RUSTIC GLOBE - 6

001 030 0006



- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 540 lm
- 2200K




FILAMENT LED



### RUSTIC STAR - 6

001 031 0006



- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 540 lm
- 2200K



FILAMENT LED




### RUSTIC HEART - 6

001 032 0006



- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 540 lm
- 2200K



FILAMENT LED



### RUSTIC TUBE - 6

001 033 0006



- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 540 lm
- 2200K



FILAMENT LED




### RUSTIC TUBE - 8

001 033 0008



- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 720 lm
- 2200K



FILAMENT LED





### RUSTIC DIAMOND - 4

001 034 0004

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 360 lm
- 2200K



### RUSTIC DIAMOND - 6

001 034 0006

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 540 lm
- 2200K



### RUSTIC PYRAMID - 6

001 035 0006

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 540 lm
- 2200K



### RUSTIC MERIDIAN - 6

001 037 0006


- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 540 lm
- 2200K



### RUSTIC CRYSTAL - 4

001 036 0004

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 360 lm
- 2200K



### RUSTIC CRYSTAL - 6

001 036 0006

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 540 lm
- 2200K



### RUSTIC TWIST-4

001 038 0004

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 360 lm
- 2200K



### RUSTIC TWIST-6

001 038 0006

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 540 lm
- 2200K






## PETA-4

001 045 0004

**NEW**




- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 330 lm
- 2700K / 4200K / 6400K

## PETA-6

001 045 0006

**NEW**




- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 480 lm
- 2700K / 4200K / 6400K

## PETA-8

001 045 0008

**NEW**




- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 680 lm
- 2700K / 4200K / 6400K

## PETA-10

001 045 0010

**NEW**




- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 800 lm
- 2700K / 4200K / 6400K

## PETA-12

001 045 0012


**NEW**



- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 1000 lm
- 2700K / 4200K / 6400K

## DECO-3

001 023 0003




- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 300 lm
- 2700K / 4200K / 6400K

## DECO-5

001 023 0005

**NEW**




- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 450 lm
- 2700K / 4200K / 6400K

## DECO-7

001 023 0007

**NEW**



- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 630 lm
- 2700K / 4200K / 6400K

LED LAMP / LED TUBE / LED CAPSULE



## GIGA-4

001 046 0004

NEW



- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 360 lm
- 6400K




## EXA-3

001 047 0003

NEW



- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 300 lm
- 2700K / 4200K / 6400K




## MEGA-3

001 011 0003

HL 457L



- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 180 lm
- 2700K / 6400K




## MEGA-5

001 011 0005

HL 458L



- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 230 lm
- 2700K / 6400K




## MICRO-2

001 010 0002

HL 455L



- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 90 lm
- 2700K / 6400K




## MICRO-3

001 010 0003

HL 456L



- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 150 lm
- 2700K / 6400K




## MINI

- 12V DC
- Average Life: 25.000 Hrs
- 60 lm
- 2700K / 6400K

001 009 0002

HL 454L



## MIDI

- 12V DC
- Average Life: 20.000 Hrs
- 110 lm
- 2700K / 6400K

001 012 0002


HL 459L



## TERA-2

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 200 lm
- 2700K / 4200K / 6400K

001 024 0002




**D I M M A B L E****PIKO-2**

001 007 0002

HL 450L



- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 105 lm
- 2700K / 6400K


**D I M M A B L E****PIKO-3**

001 007 0003

HL 451L



- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 210 lm
- 2700K / 6400K


**D I M M A B L E****NANO-2**

001 008 0002

HL 452L



- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 105 lm
- 2700K / 6400K


**D I M M A B L E****NANO-3**

001 008 0003

HL 453L




- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 210 lm
- 2700K / 6400K

**HL 448L**

- 220-240V / 50-60 Hz
- Average Life: 25000 Hrs
- 1W
- 80 Lm
- 2700K / 6400K

**HL 449L**


- 220-240V / 50-60 Hz
- Average Life: 25000 Hrs
- 2.5W
- 80 Lm
- 6400K

**HL 443L**

- 220-240V / 50-60 Hz
- Average Life: 25000 Hrs
- 2.5W
- 250 Lm
- 4000K

**HL 444L**

- 220-240V / 50-60 Hz
- Average Life: 25000 Hrs
- 4.8W
- 470 Lm
- 4000K

**GU10**

- 220-240V / 50-60 Hz
- Average Life: 25000 Hrs
- 3W
- 250 Lm
- 6400K

**GU10**

- 220-240V / 50-60 Hz
- Average Life: 25000 Hrs
- 5W
- 470 Lm
- 6400K





001 017 0001



**RAINBOW**



### YELLOW

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 105 lm

### RED

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 34 lm

### GREEN

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 68 lm

### BLUE

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 12 lm


### WHITE

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 120 lm

001 017 0003



**SPECTRA**



### YELLOW

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 315 lm

### RED

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 102 lm

### GREEN

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 205 lm


### BLUE

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 38 lm

002 001 0009

**LED TUBE-60**

SMD LED TUBE 60cm



**9W, 750 lm DAYLIGHT**

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 750 lm
- 6400K



002 001 0018

**LED TUBE-120**

SMD LED TUBE 120cm



**18W, 1450 lm DAYLIGHT**

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 1450 lm
- 6400K



002 001 0024

**LED TUBE-150**

SMD LED TUBE 150cm



**24W, 2400 lm DAYLIGHT**

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 2400 lm
- 6400K



**FULL-9**

003 001 0009

**HL 8809**



**FULL SPIRAL T3**

**9W E14**

- 2700K - 420 lm
- 6400K - 500 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



(H) 108 mm

**FULL-9**

003 001 0009

**HL 8809**



**FULL SPIRAL T3**

**9W E27**

- 2700K - 420 lm
- 6400K - 400 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



(H) 115 mm



## Energy Saving Lamp







**FULL-12**

003 001 0012

**HL 8811**



**FULL SPIRAL T3**

**12W E14**

- 2700K - 550 lm
- 6400K - 540 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



(H) 107 mm

**FULL-12**

003 001 0012

**HL 8811**



**FULL SPIRAL T3**

**12W E27**

- 2700K - 550 lm
- 6400K - 540 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



(H) 107 mm

**FULL-15**

003 001 0015

**HL 8815**



**FULL SPIRAL T3**

**15W E14**

- 2700K - 770 lm
- 6400K - 750 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



(H) 128 mm

**FULL-15**

003 001 0015

**HL 8815**



**FULL SPIRAL T3**

**15W E27**

- 2700K - 770 lm
- 6400K - 750 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



(H) 128 mm

**FULL-20**

003 001 0020

**HL 8820**



**FULL SPIRAL T3**

**20W E27**

- 2700K - 1040 lm
- 6400K - 1020 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



(H) 126 mm

**FULL-26**

003 001 0026

**HL 8825**



**FULL SPIRAL T3**

**26W E27**

- 2700K - 1250 lm
- 6400K - 1240 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



(H) 136 mm

**HALF-9**

003 002 0009

**HL 8609**



**HALF SPIRAL T3**

**9W E14**

- 2700K - 410 lm
- 6400K - 400 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



(H) 108 mm

**HALF-9**

003 002 0009

**HL 8609**



**HALF SPIRAL T3**

**9W E27**

- 2700K - 410 lm
- 6400K - 400 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



(H) 35 mm  
(H) 107 mm



## HALF-12

003 002 0012

HL 8611



**HALF SPIRAL T3**  
**12W E14**

- 2700K - 550 lm
- 6400K - 540 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



(Ø) 40 mm  
(H) 125 mm



## HALF-12

003 002 0012

HL 8611



**HALF SPIRAL T3**  
**12W E27**

- 2700K - 550 lm
- 6400K - 540 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



(Ø) 40mm  
(H) 125mm



## HALF-15

003 002 0015

HL 8615



**HALF SPIRAL T3**  
**15W E27**

- 2700K - 770 lm
- 6400K - 750 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



(Ø) 40mm  
(H) 135mm



## HALF-15

003 002 0015

HL 8615



**HALF SPIRAL T3**  
**15W E14**

- 2700K - 770 lm
- 6400K - 750 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



(Ø) 40mm  
(H) 135mm



## HALF-20

003 002 0020

HL 8620



**HALF SPIRAL T3**  
**20W E27**

- 2700K - 1040 lm
- 6400K - 1020 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



(Ø) 52mm  
(H) 134mm



## HALF-26

003 002 0026

HL 8625



**HALF SPIRAL T3**  
**26W E27**

- 2700K - 1380 lm
- 6400K - 1370 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



(Ø) 52mm  
(H) 146mm



## THREE-U/15

003 003 0015

HL 8315



**3U T3**  
**15W E27**

- 2700K - 760 lm
- 6400K - 740 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



(Ø) 40mm  
(H) 140mm



## THREE-U/18


003 003 0018

HL 8320



**3U T3**  
**18W E27**

- 2700K - 910 lm
- 6400K - 890 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



(Ø) 40mm  
(H) 151mm



## THREE-U/23


003 003 0023

HL 8325



**3U T3**  
**23W E27**

- 2700K - 1090 lm
- 6400K - 1090 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



(Ø) 40mm  
(H) 161mm



## FULL-35

003 001 0035

HL 8835



**FULL SPIRAL T4**  
**35W E27**

- 6400K - 1350 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



(Ø) 60mm  
(H) 174mm



ENERGY SAVING LAMP

**FULL-45**

003 001 0045

**HL 8845**

**45W**

**FULL SPIRAL T4**

**45W E27**

- 6400K - 1750 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs

**FULL-65**

003 001 0065

**HL 8865**

**65W**

**FULL SPIRAL T5**

**65W E27**

- 6400K - 2500 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs

**FULL-85**

003 001 0085

**HL 8885**

**85W**

**FULL SPIRAL T5**

**85W E27**

- 6400K - 3500 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs

**FULL-105**

003 001 0105

**HL 88105**

**105W**

**FULL SPIRAL T6**

**105W E27**

- 6400K - 4400 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs

**HL 8105**

**5W**

**CANDLE**

**5W E14**

- 6400K
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs

**HL 8111**

**11W**

**R63**

**11W E27**

- 6400K - 192 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs

**HL 8809**

**9W**

**Nano T2.2 FL SPRL**

**9W GU10**

- 6400K - 390 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs

**HL 8720**

**20W**

**ESL**

**20W R7S**


- 6400K - 1200 lm
- 220-240V / 50-60Hz
- Average Life: 8.000 Hrs

**TUBE-5**

- 004 001 0006 **6W, 280-310 lm**
- 004 001 0008 **8W, 400-430 lm**
- 004 001 0013 **13W, 1045-1140 lm**
- 004 001 0021 **21W, 1660-1850 lm**
- 004 001 0028 **28W, 2350-2470 lm**

**T5 DAYLIGHT**



Average Life: 8.000 Hrs

**TUBE-8**

- 004 003 0010 **10W, 280-310 lm**
- 004 003 0015 **15W, 560-630 lm**
- 004 003 0018 **18W, 960-1150 lm**
- 004 003 0036 **36W, 2400-2760 lm**
- 004 003 0058 **58W, 4080-5000 lm**

**T8 DAYLIGHT**

Average Life: 8.000 Hrs

**GU10 CLOSED****50W, 340 lm**


- 220-240V / 50-60Hz
- Average Life: 2.000 Hrs

**MR16 CLOSED****20W CLOSED, 200 lm****50W CLOSED, 600 lm**


- 12V
- Average Life: 2.000 Hrs

**JCDR CLOSED****35W CLOSED, 320 lm****50W CLOSED, 550 lm**

- 220-240V / 50-60Hz
- Average Life: 2.000 Hrs

**JCDR OPEN****50W OPEN, 650 lm**

- 220-240V / 50-60Hz
- Average Life: 2.000 Hrs






JC G4



**20W, 250 lm**

- 12V
- Average Life: 2.000 Hrs




G4

JC G4 WHITE



**20W, 120 lm**

- 12V
- Average Life: 2.000 Hrs



G4


G9 CLEAR



**25W, 270 lm**

**40W, 420 lm**

- 220-240V / 50-60Hz
- Average Life: 2.000 Hrs



G9


G9 WHITE



**25W, 100 lm**

**40W, 220 lm**

- 220-240V / 50-60Hz
- Average Life: 2.000 Hrs



G9

G9 FROST




**25W, 220 lm**

**40W, 500 lm**

- 220-240V / 50-60Hz
- Average Life: 2.000 Hrs



G9



HALOGEN LAMP



**78mm**

**150W, 1600 lm**

- 220-240V / 50-60Hz
- Average Life: 2.000 Hrs



R7S

HALOGEN LAMP



**118mm**

**300W, 4000 lm**

**500W, 7500 lm**

- 220-240V / 50-60Hz
- Average Life: 2.000 Hrs



R7S

HALOGEN LAMP



**189mm**

**1000W, 18000 lm**

- 220-240V / 50-60Hz
- Average Life: 2.000 Hrs



R7S

HALOGEN LAMP



**254mm**

**2000W, 41000 lm**

- 220-240V / 50-60Hz
- Average Life: 2.000 Hrs



R7S




### FLAME FROSTED-40

006 002 0040 40W

### FLAME FROSTED-60

006 002 0060 60W

HL 421



#### CANDLE BULB

WITH TAIL

40W, 240 lm

60W, 400 lm

FROSTED

- 220-240V / 50-60Hz
- Average Life: 1.000 Hrs


### FLAME CLEAR-40

006 001 0040 40W

### FLAME CLEAR-60

006 001 0060 60W

HL 420



#### CANDLE BULB

WITH TAIL

40W, 280 lm

60W, 480 lm

CLEAR

- 220-240V / 50-60Hz
- Average Life: 1.000 Hrs



## Incandescent Lamp Reflector Lamp




### CANDLE SOFT-40

006 005 0040 40W

### CANDLE SOFT-60

006 005 0060 60W

HL 425



#### CANDLE BULB

40W, 240 lm

60W, 400 lm

SOFT

- 220-240V / 50-60Hz
- Average Life: 1.000 Hrs


### CANDLE FROSTED-40

006 004 0040 40W

### CANDLE FROSTED-60

006 004 0060 60W

HL 424



#### CANDLE BULB

40W, 240 lm

60W, 400 lm

FROSTED

- 220-240V / 50-60Hz
- Average Life: 1.000 Hrs


### CANDLE CLEAR-40

006 003 0040 40W

### CANDLE CLEAR-60

006 003 0060 60W

HL 423



#### CANDLE BULB

40W, 280 lm

60W, 480 lm

CLEAR

- 220-240V / 50-60Hz
- Average Life: 1.000 Hrs


### SCREW FROSTED-40

006 006 0040 40W

### SCREW FROSTED-60

006 006 0060 60W

HL 426



#### SCREW CANDLE BULB

40W, 240 lm

60W, 400 lm

FROSTED

- 220-240V / 50-60Hz
- Average Life: 1.000 Hrs


### SCREW CLEAR-40

006 007 0040 40W

### SCREW CLEAR-60

006 007 0060 60W

HL 427



#### SCREW CANDLE BULB

40W, 280 lm

60W, 480 lm

CLEAR

- 220-240V / 50-60Hz
- Average Life: 1.000 Hrs


### CANDLE FROSTED-40

006 008 0040 40W

### CANDLE FROSTED-60

006 008 0060 60W

HL 428



#### CANDLE BULB

40W, 240 lm

60W, 400 lm

FROSTED

- 220-240V / 50-60Hz
- Average Life: 1.000 Hrs


### CANDLE SOFT-40

006 009 0040 40W

### CANDLE SOFT-60

006 009 0060 60W

HL 429



#### CANDLE BULB

40W, 240 lm

60W, 400 lm

SOFT

- 220-240V / 50-60Hz
- Average Life: 1.000 Hrs

INCANDESCENT LAMP / REFLECTOR LAMP



### GLOBE FROSTED-40

006 011 0040 40W




#### GLOBE BULB

40W, 240 lm

60W, 400 lm

FROSTED

- 220-240V / 50-60Hz
- Average Life: 1.000 Hrs



HL 431

### GLOBE FROSTED-60

006 011 0060 60W

### GLOBE FROSTED-40

006 013 0040 40W




#### GLOBE BULB

40W, 240 lm

60W, 400 lm

FROSTED

- 220-240V / 50-60Hz
- Average Life: 1.000 Hrs



HL 433

### GLOBE FROSTED-60

006 013 0060 60W

### GLOBE SOFT-40

006 010 0040 40W




#### GLOBE BULB

40W, 240 lm

60W, 400 lm

SOFT

- 220-240V / 50-60Hz
- Average Life: 1.000 Hrs



HL 430

### GLOBE SOFT-60

006 010 0060 60W

### GLOBE SOFT-40

006 012 0040 40W




#### GLOBE BULB

40W, 240 lm

60W, 400 lm

SOFT

- 220-240V / 50-60Hz
- Average Life: 1.000 Hrs



HL 432

### GLOBE SOFT-60

006 012 0060 60W

### MUSHROOM FROSTED

006 014 0060 60W




#### MUSHROOM BULB

60W, 400 lm

FROSTED

- 220-240V / 50-60Hz
- Average Life: 1.000 Hrs

HL 434



### MUSHROOM SOFT

006 015 0060 60W




#### MUSHROOM BULB

60W, 400 lm

SOFT

- 220-240V / 50-60Hz
- Average Life: 1.000 Hrs

HL 435



### R39

007 001 0030 30W




30W, 150 lm

FROSTED

- 220-240V / 50-60Hz
- Average Life: 1.000 Hrs

R39



### R50-40

007 002 0040 40W




40W, 280 lm

60W, 460 lm

FROSTED

- 220-240V / 50-60Hz
- Average Life: 1.000 Hrs



### R50-60

007 002 0060 60W

R50

### R63-60

007 003 0060 60W




60W, 400 lm

FROSTED

- 220-240V / 50-60Hz
- Average Life: 1.000 Hrs

R63



### R80-60

007 004 0060 60W




60W, 380 lm

75W, 580 lm

100W, 900 lm

FROSTED

- 220-240V / 50-60Hz
- Average Life: 1.000 Hrs



### R80-75

007 004 0075 75W

### R80-100

007 004 0100 100W R80



**KRIPTON-125**


008 001 0125  
**HL 400**



**HIGH PRESSURE**

**MERCURY LAMP**

- 125W
- 4990 lm
- 5500K
- With Ballast
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



125W



**PLANET-125**


008 002 0125  
**HL 401**



**HIGH PRESSURE**

**MERCURY LAMP**

- 125W
- 2560 lm
- 4400K
- Without Ballast
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



125W



**Mercury Lamp  
Metal Halide Lamp**



**PLANET-160**


008 002 0160  
**HL 402**



**HIGH PRESSURE**

**MERCURY LAMP**

- 160W
- 2560 lm
- 4400K
- Without Ballast
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



160W



**KRIPTON-250**


008 001 0250  
**HL 403**



**HIGH PRESSURE**

**MERCURY LAMP**

- 250W
- 11025 lm
- 5500K
- With Ballast
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



250W



**PLANET-250**


008 002 0250  
**HL 404**



**HIGH PRESSURE**

**MERCURY LAMP**

- 250W
- 4900 lm
- 4400K
- Without Ballast
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



250W



**KRIPTON-400**


008 001 0400  
**HL 405**



**HIGH PRESSURE**

**MERCURY LAMP**

- 400W
- 21000 lm
- 5500K
- With Ballast
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



400W



MERCURY LAMP / METAL HALIDE LAMP



## MERKÜR


009 001 0150

HL 406



### METAL HALIDE LAMP

- 150W
- 11000 lm
- 4000K
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



## NEXUS-150


009 002 0150

HL 407



### METAL HALIDE LAMP

- 150W
- 16000 lm
- 4000K
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



## NEXUS-250


009 002 0250

HL 408



### METAL HALIDE LAMP

- 250W
- 21000 lm
- 4000K
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



## NEXUS-400


009 002 0400

HL 409



### METAL HALIDE LAMP

- 400W
- WHITE, 35.000-38.000Lm
- BLUE, 8.000-10.000Lm
- GREEN, 28.000-31.000Lm
- RED, 20.000-23.000Lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



## URANUS-70


009 003 0070

HL 410



### METAL HALIDE LAMP

- 70W
- 5500 lm
- 4000K
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



## URANUS-150


009 003 0150

HL 411



### METAL HALIDE LAMP

- 150W
- 17000 lm
- 4000K
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs







## Halogen Downlight



### BEGONYA

015 012 0050


HL 779



- CHROME
- MAT CHROME
- GOLDEN
- ANTIQUE GREEN
- ANTIQUE RED COPPER
- TITANIUM BLACK/GOLDEN
- PEARL SILVER/GOLDEN



Min h: 55 Max. 50W



### PAPATYA

015 016 0050


HL 759



- CHROME
- MAT CHROME
- GOLDEN
- ANTIQUE GREEN
- ANTIQUE RED COPPER
- TITANIUM BLACK/GOLDEN
- PEARL SILVER/GOLDEN



Min h: 55 Max. 50W



### ZAMBAK

015 014 0050


HL 798



- CHROME
- MAT CHROME
- GOLDEN
- ANTIQUE GREEN
- ANTIQUE RED COPPER
- TITANIUM BLACK/GOLDEN
- PEARL SILVER/GOLDEN



Min h: 55 Max. 50W



### YONCA

015 015 0050

HL 799



- CHROME
- MAT CHROME
- GOLDEN
- ANTIQUE GREEN
- ANTIQUE RED COPPER
- TITANIUM BLACK/GOLDEN
- PEARL SILVER/GOLDEN



Min h: 55 Max. 50W





## ORKİDE

015 007 0050



HL 750



CHROME GOLDEN  
MAT CHROME WHITE



- 220-240V / 50-60Hz
- Max. 50W



## MENEKŞE

015 008 0050



HL 752



CHROME RED COPPER  
MAT CHROME PEARL CHROME  
GOLDEN WHITE



- 220-240V / 50-60Hz
- Max. 50W





## AÇELYA

015 009 0050

HL 753



CHROME GOLDEN  
MAT CHROME WHITE




## ORTANCA

015 010 0050

HL 755



CHROME GOLDEN  
MAT CHROME





## NİLÜFER



CLEAR BROWN BLUE

YELLOW PURPLE

015 001 0020

HL 800

- 220-240V / 50-60Hz
- Max. 20W



## NERGİS



CLEAR BROWN BLUE

YELLOW PURPLE

015 002 0020

HL 801

- 220-240V / 50-60Hz
- Max. 20W



## GONCA



CLEAR BROWN BLUE

YELLOW PURPLE

015 003 0020

HL 802

- 220-240V / 50-60Hz
- Max. 20W



## FULYA



CLEAR BROWN BLUE

YELLOW PURPLE

015 004 0020

HL 803

- 220-240V / 50-60Hz
- Max. 20W



## YASEMİN



CLEAR BROWN BLUE

YELLOW PURPLE

015 005 0020

HL 804

- 220-240V / 50-60Hz
- Max. 20W





**LED Downlight**



LED DOWNLIGHT

**SILVIA**

016 039 0001



- WHITE**
- MAT CHROME**
- AC 85-265V / 50-60Hz
- 1W, 70 lm
- 4200K
- Average Life: 30.000 Hrs



**BELLA**

016 042 0003



- CHROME**
- MAT CHROME**
- WHITE**
- BLACK**
- ROSE**
- AC 85-265V / 50-60Hz
- 3W, 125 lm
- 4200K
- Average Life: 30.000 Hrs



**LAURA**

016 038 0001



- WHITE**
- MAT CHROME**
- AC 85-265V / 50-60Hz
- 1W, 70 lm
- 4200K
- Average Life: 30.000 Hrs



**BIANCA**

016 036 0003



- WHITE**
- MAT CHROME**
- AC 85-265V / 50-60Hz
- 3W, 210 lm
- 4200K
- Average Life: 30.000 Hrs



**MIRANDA**

016 004 0003

HL 666L

- CHROME**
- MAT CHROME**
- 220-240V / 50-60Hz
- 4200K
- 1x3W, 260 lm
- Average Life: 30.000 Hrs





## MONICA


CHROME

MAT CHROME

016 003 0001

HL 665L

- 220-240V / 50-60Hz
- 4200K
- 1W, 80 lm
- Average Life: 30.000 Hrs




## NADIA

MAT CHROME

016 027 0001

HL 661L

- 1W, 70 lm
- AC 220-240V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs



## RITA

WHITE

016 037 0003

- AC 85-265V / 50-60Hz
- 3W, 210 lm
- 4200K
- Average Life: 30.000 Hrs




## NATALIA

MAT CHROME

016 001 0001

HL 815L

- WHITE 6400K, 60 lm
- RED, 45 lm
- GREEN, 55 lm
- BLUE, 45 lm




## LISA

WHITE

016 031 0003

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 3W, 125 lm
- 4200K




## JULIA

WHITE

016 032 0003

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 3W, 125 lm
- 4200K




## LUNA

WHITE

016 041 0003

- AC 220-220V / 50-60Hz
- 3W, 210 lm
- 4200K
- Average Life: 20.000 Hrs
- Recessed+Surface Mounting Available




## ANGELA

MAT CHROME

016 002 0002

HL 761L

- 220-240V / 50-60Hz
- 2W / 100 lm
- 4200K
- Average Life: 30.000 Hrs






## VALERIA-5

016 040 0005

WHITE

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 5W, 400 lm
- 4200K




## VALERIA-7

016 040 0007

WHITE

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 7W, 560 lm
- 4200K




## VALERIA-9

016 040 0009

WHITE

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 9W, 720 lm
- 4200K




## GABRIEL

016 029 0006

WHITE

- 100-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 6W, 410 lm
- 4200K




## JESSICA

016 030 0006

WHITE

- 100-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 6W, 410 lm
- 4200K



## SARA


016 005 0003

HL 6731L

MAT CHROME

WHITE

- 220-240V / 50-60Hz
- 2700K, 200 lm
- 6500K, 220 lm
- 3W
- Average Life: 40.000 Hrs




## VALERIA-9

016 040 0009

WHITE

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 9W, 720 lm
- 4200K



## DIANA


016 006 0003

HL 6741L

MAT CHROME

WHITE

- 220-240V / 50-60Hz
- 2700K, 200 lm
- 6500K, 220 lm
- 3W
- Average Life: 40.000 Hrs





## VICTORIA-3

016 007 0003

HL 678L



**MAT CHROME**

**WHITE**

- 3W 208 lm/230 lm
- AC 220-240V / 50-60Hz
- 2700K / 4200K / 6500K
- Average Life: 40.000 Hrs



75



## VICTORIA-5

016 007 0005

HL 679L




**MAT CHROME**

**WHITE**

- 5W 217 lm/354 lm
- AC 220-240V / 50-60Hz
- 2700K / 4200K / 6500K
- Average Life: 40.000 Hrs



75



## MELISA-3

016 008 0003

HL 698L



**MAT CHROME**

**WHITE**

- 3W 208 lm/230 lm
- AC 220-240V / 50-60Hz
- 2700K / 4200K / 6500K
- Average Life: 40.000 Hrs



75



## MELISA-5

016 008 0005

HL 699L




**MAT CHROME**

**WHITE**

- 5W 217 lm/354 lm
- AC 220-240V / 50-60Hz
- 2700K / 4200K / 6500K
- Average Life: 40.000 Hrs



75



## LILYA-3


**MAT CHROME**

**WHITE**

- 3W, 222 lm
- AC 220-240V / 50-60Hz
- 2700K / 4200K / 6400K
- Average Life: 30.000 Hrs



70



## LILYA-5


**MAT CHROME**

**WHITE**

- 5W, 335 lm
- AC 220-240V / 50-60Hz
- 2700K / 4200K / 6400K
- Average Life: 30.000 Hrs



70



## SONIA-5


016 035 0005

**WHITE**

- 100-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 5W, 350 lm
- 6400K



72





## ELENA-1


016 010 0001

HL 670L



### MAT CHROME

- AC 220-240V / 50-60Hz
- 1W, 45 lm
- 2700K / 6400K
- Average Life: 25.000 Hrs



## VERA-1


016 011 0001

HL 671L



### MAT CHROME

- AC 220-240V / 50-60Hz
- 1W, 45 lm
- 2700K / 6400K
- Average Life: 25.000 Hrs



## ELENA-3


016 010 0003

HL 672L



### MAT CHROME

- AC 220-240V / 50-60Hz
- 3W, 135 lm
- 2700K / 6400K
- Average Life: 25.000 Hrs



## VERA-3


016 011 0003

HL 673L



### MAT CHROME

- AC 220-240V / 50-60Hz
- 3W, 135 lm
- 2700K / 6400K
- Average Life: 25.000 Hrs



## ELENA-6


016 010 0006

HL 674L



### MAT CHROME

- AC 220-240V / 50-60Hz
- 6W, 270 lm
- 2700K / 6400K
- Average Life: 25.000 Hrs



## VERA-6


016 011 0006

HL 675L



### MAT CHROME

- AC 220-240V / 50-60Hz
- 6W, 270 lm
- 2700K / 6400K
- Average Life: 25.000 Hrs



## VERA-12


016 011 0012

HL 676L



### MAT CHROME

- AC 220-240V / 50-60Hz
- 12W, 450 lm
- 2700K / 6400K
- Average Life: 25.000 Hrs



## VERA-18

016 011 0018

HL 677L



### MAT CHROME

- AC 220-240V / 50-60Hz
- 18W, 720 lm
- 2700K / 6400K
- Average Life: 25.000 Hrs







## AMANDA-6

016 017 0006


HL 6754L



WHITE

MAT CHROME

- AC 220-240V / 50-60Hz
- 6W, 480 lm
- 3000K / 6400K
- Average Life: 30.000 Hrs



## AMANDA-10

016 017 0010


HL 6755L



WHITE

MAT CHROME

- AC 220-240V / 50-60Hz
- 10W, 550 lm
- 3000K / 6400K
- Average Life: 30.000 Hrs



016 017 0015

## AMANDA-15


HL 6756L



WHITE

MAT CHROME

- AC 220-240V / 50-60Hz
- 15W, 650 lm
- 3000K / 6400K
- Average Life: 30.000 Hrs



016 017 0025

## AMANDA-25

HL 6758L



WHITE

MAT CHROME


- AC 220-240V / 50-60Hz
- 25W, 1312 lm
- 3000K / 6400K
- Average Life: 30.000 Hrs



016 024 0032

## JASMIN

HL 637L



WHITE

SILVER

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 4x8W, 2.400 lm
- 6400K




## HL 667L



SILVER

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 7x1W, 76Lm
- Red+Green+Blue+Yellow




## HL 669L



SILVER

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 7x1W, 76Lm
- Red+Green+Blue+Yellow







016 019 0008

## HELEN-8


WHITE

HL 695L 3 INCH

MAT CHROME



- 220-240V / 50-60Hz
- Average Life: 40,000 Hrs
- 8W, 354 lm
- 4200K



016 020 0008

## GALINA-8

WHITE

HL 692L

- 220-240V / 50-60Hz
- Average Life: 40,000 Hrs
- 8W, 444 lm
- 6500K




016 019 0010

## HELEN-10


WHITE

HL 696L 4 INCH

MAT CHROME



- 220-240V / 50-60Hz
- Average Life: 40,000 Hrs
- 10W, 742 lm
- 4200K




016 020 0010

## GALINA-10

WHITE

HL 693L

- 220-240V / 50-60Hz
- Average Life: 40,000 Hrs
- 10W, 570 lm
- 6500K





016 019 0020

## HELEN-20


WHITE

HL 697L 6 INCH

MAT CHROME



- 220-240V / 50-60Hz
- Average Life: 40,000 Hrs
- 20W, 1315 lm
- 4200K





016 020 0020

## GALINA-20

WHITE

HL 694L

- 220-240V / 50-60Hz
- Average Life: 40,000 Hrs
- 20W, 1166 lm
- 6500K



016 019 0030

## HELEN-30


WHITE

HL 6978L 8 INCH

MAT CHROME



- 220-240V / 50-60Hz
- Average Life: 40,000 Hrs
- 30W, 1880 lm
- 4200K



016 018 0030

## LILY

WHITE

HL 691L

- 220-240V / 50-60Hz
- Average Life: 40,000 Hrs
- 30W, 1447 lm
- 6500K







016 021 0005

HL 6701L

## ADRIANA-5

WHITE

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 5W
- 368 lm
- 2700K / 6400K





016 022 0010

HL 6711L

## VERONICA-10

WHITE

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 10W
- 539 lm
- 2700K / 6400K





016 021 0010

HL 6702L

## ADRIANA-10

WHITE

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 2x5W
- 2x368 lm
- 2700K / 6400K





016 022 0020

HL 6712L

## VERONICA-20

WHITE

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 2x10W
- 2x539 lm
- 2700K / 6400K





016 021 0015

HL 6703L

## ADRIANA-15

WHITE

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 3x5W
- 3x368 lm
- 2700K / 6400K





016 022 0030

HL 6713L

## VERONICA-30


WHITE

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 3x10W
- 3x539 lm
- 2700K / 6400K




016 023 0008  
HL 6721L

## SABRINA-8





**WHITE**

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 8W
- 371 lm
- 2700K / 6400K




016 023 0016  
HL 6722L

## SABRINA-16





**WHITE**

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 2x8W
- 2x371 lm
- 2700K / 6400K




016 023 0024  
HL 6723L

## SABRINA-24




**WHITE**

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 3x8W
- 3x371 lm
- 2700K / 6400K




## SABRINA-32

016 023 0032  
HL 6724L



**WHITE**

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 4x8W
- 4x371 lm
- 2700K / 6400K






016 025 0012

HL 640L

## CAROLINE-12

WHITE

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 12W, 840 lm
- 3000K / 4200K / 6000K




016 026 0012

HL 641L

## ARINA-12

WHITE

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 12W, 840 lm
- 3000K / 4200K / 6000K



016 025 0018

## CAROLINE-18

WHITE

- AC 220-240V / 50-60Hz
- 18W, 1300 lm
- Average Life: 30.000 Hrs
- 3000K / 4200K / 6000K





016 026 0018

## ARINA-18

WHITE

- AC 220-240V / 50-60Hz
- 18W, 1300 lm
- Average Life: 30.000 Hrs
- 3000K / 4200K / 6000K




016 025 0028

HL 642L

## CAROLINE-28

WHITE

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 28W, 1960 lm
- 3000K / 4200K / 6000K





016 026 0028

HL 643L

## ARINA-28

WHITE

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 28W, 1960 lm
- 3000K / 4200K / 6000K




016 025 0032

## CAROLINE-32

WHITE

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 32W, 2240 lm
- 3000K / 4200K / 6000K




016 026 0032

## ARINA-32

WHITE

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 32W, 2240 lm
- 3000K / 4200K / 6000K





016 025 0040

## CAROLINE-40

WHITE

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 40W, 2800 lm
- 3000K / 4200K / 6000K



500 mm  
40 mm



016 026 0040


## ARINA-40

WHITE

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 40W, 2800 lm
- 3000K / 4200K / 6000K



500 mm  
40 mm



016 025 0048

## CAROLINE-48

WHITE

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 48W, 3360 lm
- 3000K / 4200K / 6000K



600 mm  
40 mm



016 026 0048

## ARINA-48

WHITE

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 48W, 3360 lm
- 3000K / 4200K / 6000K



600 mm  
40 mm




016 034 0024

## LINDA-24

WHITE

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 24W, 1680 lm
- 3000K / 4200K / 6000K



600 mm  
40 mm




016 034 0036

## LINDA-36

WHITE

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 36W, 2520 lm
- 3000K / 4200K / 6000K



1200 mm  
40 mm





## MARIA-6



016 015 0006

HL 684LG



WHITE

- AC 220-240V / 50-60Hz
- 6W, 480 lm
- 3000K / 4200K / 6400K
- Average Life: 30.000 Hrs



## CLARA-6



016 016 0006

HL 687LG



WHITE

- AC 220-240V / 50-60Hz
- 6W, 480 lm
- 3000K / 4200K / 6400K
- Average Life: 30.000 Hrs





## MARIA-12

016 015 0012 HL 685LG



WHITE

- AC 220-240V / 50-60Hz
- 12W, 744 lm
- 3000K / 4200K / 6400K
- Average Life: 30.000 Hrs



## CLARA-12



016 016 0012

HL 688LG



WHITE

- AC 220-240V / 50-60Hz
- 12W, 744 lm
- 3000K / 4200K / 6400K
- Average Life: 30.000 Hrs





## MARIA-15

016 015 0015 HL 686LG



WHITE

- AC 220-240V / 50-60Hz
- 15W, 1150 lm
- 3000K / 4200K / 6400K
- Average Life: 30.000 Hrs



## CLARA-15



016 016 0015

HL 689LG




WHITE

- AC 220-240V / 50-60Hz
- 15W, 1150 lm
- 3000K / 4200K / 6400K
- Average Life: 30.000 Hrs



**SANDRA-5**


016 043 0005



- WHITE**
  - BLACK**
  - 220-240V / 50-60Hz
  - Average Life: 30.000 Hrs
  - 5W, 350 lm
  - 4200K
- 
- 

**SANDRA-10**


016 043 0010



- WHITE**
  - BLACK**
  - 220-240V / 50-60Hz
  - Average Life: 30.000 Hrs
  - 10W, 700 lm
  - 4200K
- 
- 

**SANDRA-15**

016 043 0015



- WHITE**
  - BLACK**
  - 220-240V / 50-60Hz
  - Average Life: 30.000 Hrs
  - 15W, 1050 lm
  - 4200K
- 
- 







**LED Panel**




056 002 0045

**GALAKSI-45**

**WHITE**

- 220-240V / 50-60Hz
- 45W, 3150 lm
- 4200K / 6400K
- Average Life: 25.000 Hrs

**NEW**




056 001 0045

**STAR-45**

**SILVER**

- 220-240V / 50-60Hz
- 45W, 3750 lm
- 3000K / 4200K / 6400K
- Average Life: 40.000 Hrs




056 001 0050

**STAR-50**


**SILVER**

- 220-240V / 50-60Hz
- 50W, 4200 lm
- 4200K / 6400K
- Average Life: 40.000 Hrs

**NEW**



LED PANEL






056 003 0003

### SLIM-3

WHITE

- 220-240V / 50-60Hz
- 3W
- 110 lm
- 2700K / 4200K / 6400K
- Average Life: 50.000 Hrs




056 003 0006

### SLIM-6

WHITE

- 220-240V / 50-60Hz
- 6W
- 270 lm
- 2700K / 4200K / 6400K
- Average Life: 50.000 Hrs




056 003 0009

### SLIM-9

WHITE

- 220-240V / 50-60Hz
- 9W
- 540 lm
- 2700K / 4200K / 6400K
- Average Life: 50.000 Hrs




056 003 0012

### SLIM-12

WHITE

- 220-240V / 50-60Hz
- 12W
- 660 lm
- 2700K / 4200K / 6400K
- Average Life: 50.000 Hrs




LED PANEL





## SLIM-15

056 003 0015



170

### WHITE



- 220-240V / 50-60Hz
- 15W
- 900 lm
- 2700K / 4200K / 6400K
- Average Life: 50.000 Hrs



## SLIM-18

056 003 0018

HL 978L



205

### WHITE


- 220-240V / 50-60Hz
- 18W
- 1170 lm
- 2700K / 4200K / 6400K
- Average Life: 50.000 Hrs



## SLIM-24

056 003 0024

HL 979L



285

### WHITE

- 220-240V / 50-60Hz
- 24W
- 1632 lm
- 2700K / 4200K / 6400K
- Average Life: 50.000 Hrs






LED PANEL

056 005 0003

### SLIM / Sq-3

WHITE

- 220-240V / 50-60Hz
- 3W
- 110 lm
- 2700K / 4200K / 6400K
- Average Life: 50.000 Hrs



70x90




056 005 0006

### SLIM / Sq-6

WHITE

- 220-240V / 50-60Hz
- 6W
- 270 lm
- 2700K / 4200K / 6400K
- Average Life: 50.000 Hrs



105x120




056 005 0009

### SLIM / Sq-9

WHITE

- 220-240V / 50-60Hz
- 9W
- 540 lm
- 2700K / 4200K / 6400K
- Average Life: 50.000 Hrs



135x150




056 005 0012

### SLIM / Sq-12

WHITE

- 220-240V / 50-60Hz
- 12W
- 660 lm
- 2700K / 4200K / 6400K
- Average Life: 50.000 Hrs



155x170






## SLIM/ Sq-15

056 005 0015



### WHITE

- 220-240V / 50-60Hz
- 15W
- 900 lm
- 2700K / 4200K / 6400K
- Average Life: 50.000 Hrs




## SLIM/ Sq-18

056 005 0018




### WHITE

- 220-240V / 50-60Hz
- 18W
- 1170 lm
- 2700K / 4200K / 6400K
- Average Life: 50.000 Hrs




## SLIM / Sq-24

056 005 0024



### WHITE

- 220-240V / 50-60Hz
- 24W
- 1632 lm
- 2700K / 4200K / 6400K
- Average Life: 50.000 Hrs





LED Track Light  
Lighting Track  
Track Connector  
Recessed Monopoint




Z O O M A B L E

PORTO

018 013 0007

- WHITE
- BLACK
- SILVER

- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 7W
- 525 lm
- 4200K




Z O O M A B L E

LONDON

018 011 0035

- WHITE
- BLACK
- SILVER

- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 35W
- 2625 lm
- 4200K



OSLO

018 012 0010

- WHITE
- BLACK
- SILVER

- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 10W
- 900 lm
- 4200K





## ROMA

018 002 0023

HL 822L


3 INCH

WHITE

BLACK

SILVER

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 23W
- 1315 lm
- 4200K



LED TRACK LIGHT / LIGHTING TRACK / TRACK CONNECTOR / RECESSED MONOPOINT

## ZURIH-23

018 001 0023

HL 821L


3 INCH

WHITE

BLACK

SILVER

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 23W
- 1511 lm
- 4200K



## ZURIH-40

018 001 0040

HL 834L


3 INCH

WHITE

BLACK

SILVER

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 40W
- 2643 lm
- 4200K



## PRAG-7

018 003 0007

HL 823L




3 INCH

WHITE

BLACK

SILVER

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 7W
- 405 lm
- 4200K



## PRAG-12

018 003 0012

HL 824L




4.2 INCH

WHITE

BLACK

SILVER

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 12W
- 852 lm
- 4200K



## TORINO-23

018 004 0023

HL 826L




3 INCH

WHITE

BLACK

SILVER

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 23W
- 1560 lm
- 4200K



## TORINO-40

018 004 0040

HL 827L




3 INCH

WHITE

BLACK

SILVER

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 40W
- 2337 lm
- 4200K





## MADRID-23

018 005 0023

HL 828L


3 INCH

WHITE

BLACK

SILVER

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 23W
- 1779 lm
- 4200K



## MADRID-40

018 005 0040

HL 829L


3 INCH

WHITE

BLACK

SILVER

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 40W
- 2988 lm
- 4200K



## VENEDIK-23

018 006 0023

HL 830L


2 INCH

WHITE

BLACK

SILVER

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 23W
- 1947 lm
- 4200K



## VENEDIK-33

018 006 0033

HL 831L


3 INCH

WHITE

BLACK

SILVER

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 33W
- 2142 lm
- 4200K



LED TRACK LIGHT / LIGHTING TRACK / TRACK CONNECTOR / RECESSED MONOPOINT



LED TRACK LIGHT / LIGHTING TRACK / TRACK CONNECTOR / RECESSED MONOPOINT

### MILANO-5

018 008 0005

HL 835L


1.5 INCH

WHITE

BLACK

SILVER

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 5W
- 334 lm
- 4200K



### MILANO-8

018 008 0008

HL 836L


1.7 INCH

WHITE

BLACK

SILVER

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 8W
- 600 lm
- 4200K



### MILANO-13

018 008 0013

HL 837L


2.3 INCH

WHITE

BLACK

SILVER

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 13W
- 987 lm
- 4200K



### ZAGREB

018 009 0035


3 INCH

WHITE

BLACK

SILVER

- 100-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 35W
- 2078 lm
- 4200K





### PARIS-23

018 007 0023

HL 832L


2 INCH

WHITE

BLACK

SILVER

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 23W
- 1550 lm
- 4200K



### PARIS-33

018 007 0033

HL 833L


3 INCH

WHITE

BLACK

SILVER

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 33W
- 2256 lm
- 4200K




### BEYRUT

017 001 0005

WHITE

BLACK

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 5W
- 320 lm
- 4200K




### TOKYO

017 002 0008

WHITE

BLACK

- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 8W
- 500 lm
- 4200K





### TRACK CONNECTOR

Straight Connector



096 001 0001

L Corner Connector



096 002 0002

WHITE

BLACK

SILVER

- Single Phase
- 220-240V / 50-60Hz AC
- Max. 16A

### RECESSED MONOPOINT

098 001 0001




WHITE

BLACK


SILVER

- 220-240V / 50-60Hz
- Max. 16A 150 mm



125

### LIGHTING TRACK




1m, 2m, 3m

WHITE

BLACK

SILVER

- 220-240V / 50-60Hz
- Max. 16A



1m. 097 001 0001

2m. 097 001 0002

3m. 097 001 0003

LED TRACK LIGHT / LIGHTING TRACK / TRACK CONNECTOR / RECESSED MONOPOINT



**PHOENIX**

019 020 0038



**NEW**

**CHROME**

**RED COPPER**

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 38W
- 2623lm
- 4000K



LED SUSPENSION LIGHT

**ELECTRA**

019 021 0038



**NEW**

**CHROME**

**RED COPPER**

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 38W
- 2548lm
- 4000K






**ORIENT**

019 016 0016

**NEW**

**CHROME**

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 16W
- 1211lm
- 4000K



LED SUSPENSION LIGHT




**ORION**

019 017 0030

**NEW**

**CHROME**

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 30W
- 2059lm
- 4000K




**AVALON**

019 018 0035




**CHROME**

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 35W
- 2100lm
- 4000K



**NEW**



LED SUSPENSION LIGHT

**GLORY**

019 019 0045



**CHROME**

- 110-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 45W
- 3964lm
- 4000K



**NEW**






**ETERNITY-30**

019 022 0030



**CHROME**

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 30W
- 900 lm
- 4000K



30W




**ETERNITY-40**

019 022 0040




**CHROME**

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 40W
- 1200 lm
- 4000K



40W




**QUASAR-42**

019 023 0042



**CHROME**

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 42W
- 1260 lm
- 4000K



42W




**QUASAR-90**

019 023 0090



**CHROME**

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 90W
- 2700 lm
- 4000K



90W








**NEBULA**

019 026 0040

**CHROME**

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 40W
- 1200 lm
- 4000K





**POLARIS**

019 024 0046

**CHROME**

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 46W
- 1380 lm
- 4000K




LED SUSPENSION LIGHT

**TORNADO-30**

019 025 0030

**CHROME**

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 30W
- 900 lm
- 4000K





**TORNADO-40**

019 025 0040

**CHROME**


- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 40W
- 1200 lm
- 4000K






## NIRVANA-24

019 027 0024




## NIRVANA-32

019 027 0032




## NIRVANA-40

019 027 0040



### CHROME


- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 24W / 32W / 40W
- 720 lm / 960 lm / 1200 lm
- 4000K



**NEW**




LED SUSPENSION LIGHT




## PANDORA-72

019 028 0072



## PANDORA-96

019 028 0096



### CHROME

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 72W / 96W
- 2160 lm / 2880 lm
- 4000K



**NEW**







**DELUXE-35**

019 012 0035

- BLACK
- WHITE
- RED
- BLUE



- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 35W
- 2000 lm
- 4000K





**DELUXE-55**

019 012 0055

- BLACK
- WHITE
- RED
- BLUE



- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 55W
- 3025 lm
- 4000K




**DELUXE-70**

019 012 0070

- BLACK
- WHITE
- RED
- BLUE



- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 70W
- 3900 lm
- 4000K





**COSTA-35**


019 015 0035




**BLACK**

**WHITE**

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 35W
- 2000 lm
- 4000K



LED SUSPENSION LIGHT



**MATRIX-35**


019 013 0035



**BLACK**

**WHITE**

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 35W
- 2000 lm
- 4000K





### ROYAL-18

019 001 0018

HL 860L

### ROYAL-24

019 001 0024





HL 861L

### ROYAL-50

019 001 0050

#### WHITE

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 18W / 24W / 50W
- 1260 lm / 1680 lm / 3500 lm
- 4000K



LED SUSPENSION LIGHT

### CLASIS-21

019 002 0021

HL 863L

### CLASIS-31

019 002 0031

HL 864L





### CLASIS-42

019 002 0042

HL 865L

#### WHITE

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 21W / 31W / 42W
- 1470 lm / 2170 lm / 2940 lm
- 4000K





**MASTER-42**


019 003 0042

HL 867L



**WHITE**

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 42W
- 2940 lm
- 4000K



**MASTER-75**


019 003 0075

HL 866L



**WHITE**

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 75W
- 5250 lm
- 4000K



LED SUSPENSION LIGHT



**EXCLUSIVE-24**


019 004 0024

HL 868L



**WHITE**

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 24W
- 1680 lm
- 4000K



**EXCLUSIVE-40**


019 004 0040

HL 869L



**WHITE**

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 40W
- 2800 lm
- 4000K




## AVANGARD-24

019 005 0024

WHITE

BLACK

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 24W
- 1680 lm
- 4000K





## AVANGARD-40

019 005 0040

WHITE

BLACK

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 40W
- 2800 lm
- 4000K



LED SUSPENSION LIGHT


## ELEGANCE-24

019 006 0024

WHITE

BLACK

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 24W
- 1680 lm
- 4000K




## ELEGANCE-40

019 006 0040

WHITE

BLACK

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 40W
- 2800 lm
- 4000K






**CONCEPT-35**

019 010 0035



- ROSE**
- CHROME**
- WHITE**

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 35W
- 1000 lm
- 4000K



LED SUSPENSION LIGHT




**CONCEPT-41**

019 010 0041



- ROSE**
- CHROME**
- WHITE**

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 41W
- 1500 lm
- 4000K





**TREND-50**



019 009 0050



**BLACK**

**WHITE**


- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 50W
- 800 lm
- 4000K



LED SUSPENSION LIGHT

**TREND-85**


019 009 0085



**BLACK**

**WHITE**


- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 85W
- 1400 lm
- 4000K






**ASFOR-50**

019 011 0050




- BLACK**
- WHITE**

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 50W
- 800 lm
- 4000K



LED SUSPENSION LIGHT




**ASFOR-85**

019 011 0085



- BLACK**
- WHITE**

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 85W
- 1400 lm
- 4000K



## VISTA



019 007 0024

WHITE

BLACK

RED

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 24W
- 1500 lm
- 4000K



LED SUSPENSION LIGHT

## FAVORI



019 008 0062

CHROME

COPPER

BROWN

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 62W
- 2500 lm
- 4000K





### WEBER

021 008 0001

NEW



RED COPPER

OLD BRONZE

GOLD

CHROME

PEARL BLACK

■ 220-240V / 50-60Hz  
■ Max. 60W



### GAUSS

021 009 0001

NEW



RED COPPER

OLD BRONZE

GOLD

CHROME

PEARL BLACK

■ 220-240V / 50-60Hz  
■ Max. 60W



## Pendant Lamp



### EDISON

021 002 0001

NEW



RED COPPER

OLD BRONZE

GOLD

CHROME

PEARL BLACK

■ 220-240V / 50-60Hz  
■ Max. 60W



### VOLTA

021 001 0001



BLACK

WHITE

BROWN

BLUE

RED

GREY

■ 220-240V / 50-60Hz  
■ Max. 60W



### TESLA

021 003 0001



RED COPPER

OLD BRONZE

GOLD

CHROME

PEARL BLACK

■ 220-240V / 50-60Hz  
■ Max. 60W






**NEWTON**

021 010 0001

**NEW**

**BLACK**

- 220-240V / 50-60Hz
- Max. 60W




**KEPLER**

021 011 0001

**NEW**

**BLACK**

- 220-240V / 50-60Hz
- Max. 60W



PENDANT LAMP

**MAXWELL**

021 012 0001

**NEW**

**BLACK**

- 220-240V / 50-60Hz
- Max. 60W




**NOBEL**

021 013 0001

**NEW**

**BLACK**

- 220-240V / 50-60Hz
- Max. 60W



**LASER**


021 004 0001

021 004 0002

**CHROME**

- 250V ~ / 50-60Hz
- Max. 60W
- Glass

**NEW**



E27

**SPECTRUM**



021 005 0001

021 005 0002

**CHROME**

- 250V ~ / 50-60Hz
- Max. 60W
- Glass

**NEW**



E27

PENDANT LAMP





**QUANTUM**

021 006 0001



**NEW**

021 006 0002

**COPPER**

**CHROME**

- 250V - / 50-60Hz
- Max. 60W
- Glass



**RADIAN**



021 007 0001

**NEW**

021 007 0002

**CHROME**

- 250V - / 50-60Hz
- Max. 60W
- Glass



PENDANT LAMP





### ASTRA-10

020 001 0010

HL 870L




WHITE

BLACK

RED

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 10W
- 507 lm
- 6400K



### AVENSIS-10

020 002 0010

HL 873L




WHITE

BLACK

RED

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 10W
- 492 lm
- 6400K



### ASTRA-15

020 001 0015

HL 871L




WHITE

BLACK

RED

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 15W
- 857 lm
- 6400K



### AVENSIS-15

020 002 0015

HL 874L




WHITE

BLACK

RED

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 15W
- 1520 lm
- 6400K



### ASTRA-20

020 001 0020

HL 872L




WHITE

BLACK

RED

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 20W
- 1712 lm
- 6400K



### AVENSIS-20

020 002 0020

HL 875L




WHITE

BLACK

RED

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 20W
- 1600 lm
- 6400K





## SEMBOL

020 006 0012



BLACK

WHITE


RED

GREEN

YELLOW

BLUE

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 12W
- 850 lm
- 4000K



## ALYA

020 005 0015



BLACK

WHITE


PINK

PURPLE

ORANGE

BLUE

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 15W
- 1200 lm
- 4000K



## MİRA

020 004 0015



BLACK

WHITE

PINK

PURPLE

ORANGE

BLUE

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 15W
- 1200 lm
- 4000K



## PRIZMA

020 007 0006



BLACK

WHITE


PINK

PURPLE

ORANGE

BLUE

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 6W
- 350 lm
- 4000K



## NOVA

020 003 0006

HL 876L



BLACK

WHITE



PINK

PURPLE

ORANGE

BLUE

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 6W
- 300 lm
- 4200K






025 001 0040 2,5"

HL 600



- CHROME
- MAT CHROME
- WHITE

- 220-240V / 50-60Hz
- Max. 40W





025 002 0060 3"

HL 602



- CHROME
- MAT CHROME
- WHITE

- 220-240V / 50-60Hz
- Max. 60W





025 003 0060 4"

HL 604



- CHROME
- MAT CHROME
- WHITE

- 220-240V / 50-60Hz
- Max. 60W





025 004 0075 5"

HL 606



- CHROME
- MAT CHROME
- WHITE

- 220-240V / 50-60Hz
- Max. 75W





025 005 0040 6"

HL 611



- CHROME
- MAT CHROME
- WHITE

- 220-240V / 50-60Hz
- Max. 2x20W ESL





025 005 0052 8"

HL 612



- CHROME
- MAT CHROME
- WHITE

- 220-240V / 50-60Hz
- Max. 2x26W ESL





025 006 0040 6"

HL 614



- CHROME
- MAT CHROME
- WHITE

- 220-240V / 50-60Hz
- Max. 2x20W ESL





025 006 0050 8"

HL 616



- CHROME
- MAT CHROME
- WHITE

- 220-240V / 50-60Hz
- Max. 2x25W ESL



## PHANTOM-36

027 002 0036


**NEW**

WHITE

BLUE

PINK

- 185-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 2500 lm
- 36W
- 6400K



## PHANTOM-48

027 002 0048


**NEW**

WHITE

BLUE

PINK

- 185-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3330 lm
- 48W
- 6400K



## LED Decorative Ceiling Lamp



LED DECORATIVE CEILING LAMP



## GHOST-36

027 003 0036


**NEW**

WHITE

BLUE

PINK

- 185-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 2500 lm
- 36W
- 6400K



## GHOST-48

027 003 0048


**NEW**

WHITE

BLUE

PINK

- 185-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3330 lm
- 48W
- 6400K




**EPSILON-15**

027 004 0015

**NEW**
**WHITE**


- 185-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 1125 lm
- 15W
- 6400K


**SHARK-24**

027 001 0024

**NEW**
**WHITE**


- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 1800 lm
- 24W
- 6400K


**360°  
Microwave  
Sensor**
**EPSILON-24**

027 004 0024

**NEW**
**WHITE**



- 185-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 1800 lm
- 24W
- 6400K


**EPSILON-36**

027 004 0036

**NEW**
**WHITE**

- 185-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 2700 lm
- 36W
- 6400K





### ILGAZ-1

026 001 0001

HL 634S



CHROME + MAT CHROME

Diffuser: Glass

- 220-240V / 50-60Hz
- Max. 60W
- Max. 12W ESL



### ILGAZ-2

026 001 0002

HL 634M



CHROME + MAT CHROME

Diffuser: Glass

- 220-240V / 50-60Hz
- Max. 60W
- Max. 12W ESL



### ILGAZ-3

026 001 0003

HL 634B



CHROME + MAT CHROME

Diffuser: Glass

- 220-240V / 50-60Hz
- Max. 2x60W
- Max. 2x12W ESL



### ILGAZ-4

026 001 0004

HL 634W



CHROME + MAT CHROME

Diffuser: Glass

- 220-240V / 50-60Hz
- Max. 60W
- Max. 12W ESL



## Decorative Ceiling Lamp



DECORATIVE CEILING LAMP

### KONAK-1

026 002 0001


HL 635S



CHROME + MAT CHROME

Diffuser: Glass

- 220-240V / 50-60Hz
- Max. 60W
- Max. 12W ESL



### KONAK-2

026 002 0002


HL 635M



CHROME + MAT CHROME

Diffuser: Glass

- 220-240V / 50-60Hz
- Max. 60W
- Max. 12W ESL



### KONAK-3

026 002 0003


HL 635B



CHROME + MAT CHROME

Diffuser: Glass

- 220-240V / 50-60Hz
- Max. 2x60W
- Max. 2x12W ESL



### KONAK-4

026 002 0004

HL 635W



CHROME + MAT CHROME

Diffuser: Glass

- 220-240V / 50-60Hz
- Max. 60W
- Max. 12W ESL





## ZARA-1

026 003 0001


HL 636S



**MAT CHROME**

**Diffuser: Glass**

- 220-240V / 50-60Hz
- Max. 60W
- Max. 12W ESL



## ZARA-2

026 003 0002


HL 636M



**MAT CHROME**

**Diffuser: Glass**

- 220-240V / 50-60Hz
- Max. 2x60W
- Max. 2x12W ESL



## ZARA-3

026 003 0003


HL 636B



**MAT CHROME**

**Diffuser: Glass**

- 220-240V / 50-60Hz
- Max. 3x60W
- Max. 3x12W ESL



## ZARA-4

026 003 0004


HL 636W



**MAT CHROME**

**Diffuser: Glass**

- 220-240V / 50-60Hz
- Max. 60W
- Max. 12W ESL



## SARAY-1

026 005 0001


HL 643



**MAT CHROME**

**Diffuser: Glass**

- 220-240V / 50-60Hz
- Max. 40W
- Max. 9W ESL



## SARAY-2

026 005 0002


HL 644



**MAT CHROME**

**Diffuser: Glass**

- 220-240V / 50-60Hz
- Max. 60W
- Max. 12W ESL



## SARAY-3

026 005 0003


HL 645



**MAT CHROME**

**Diffuser: Glass**

- 220-240V / 50-60Hz
- Max. 2x60W
- Max. 2x12W ESL



## LICE-1

026 004 0001


HL 641



**MAT CHROME**

**Diffuser: Glass**

- 220-240V / 50-60Hz
- Max. 60W
- Max. 12W ESL



## LICE-2

026 004 0002


HL 642



**MAT CHROME**

**Diffuser: Glass**

- 220-240V / 50-60Hz
- Max. 2x60W
- Max. 2x12W ESL






## SISAM

029 006 0008

WHITE

BLACK

- 100-240V / 50-60Hz
- 8W
- 320 lm
- 4200K
- Average Life: 30.000 Hrs




## TRUVA

029 007 0008

WHITE

BLACK

- 100-240V / 50-60Hz
- 8W
- 520 lm
- 4200K
- Average Life: 30.000 Hrs



## Wall Light LED Wall Light




## ABANT

029 005 0010

WHITE

- 85-265V / 50-60Hz
- 10W
- 825 lm
- 4200K
- Average Life: 30.000 Hrs



WALL LIGHT / LED WALL LIGHT

## ERDEK


029 001 0005

HL 855L

WHITE

RED

- 220-240V / 50-60Hz
- 5W, 325 lm
- 4000K
- Average Life: 30.000 Hrs



## MENGEN

028 001 0001


HL 850

WHITE

BLACK

RED

- 220-240V / 50-60Hz
- Max. 40W






**RODOS-3**

029 004 0003

**WHITE**

- 85-265V / 50-60Hz
- 3W
- 170 lm
- 4000K
- Average Life: 30.000 Hr



**RODOS-6**

029 004 0006

**WHITE**

- 85-265V / 50-60Hz
- 6W
- 340 lm
- 4000K
- Average Life: 30.000 Hrs



WALL LIGHT / LED WALL LIGHT



**RODOS-12**

029 004 0012

**WHITE**

- 85-265V / 50-60Hz
- 12W
- 950 lm
- 4000K
- Average Life: 30.000 Hrs








**BELEN-6**

029 003 0006

**WHITE**

- 85-265V / 50-60Hz
- 6W
- 340 lm
- 4000K
- Average Life: 30.000 Hrs




**BELEN-12**

029 003 0012

**WHITE**

- 85-265V / 50-60Hz
- 12W
- 950 lm
- 4000K
- Average Life: 30.000 Hrs




WALL LIGHT / LED WALL LIGHT

**BELEN-18**

029 003 0018

**WHITE**

- 85-265V / 50-60Hz
- 18W
- 1400 lm
- 4000K
- Average Life: 30.000 Hrs





**HOROZ ELECTRIC**


# Ceiling Lamp / LED Ceiling Lamp

035 001 0002  
HL 7151

## MANYAS-2

CHROME

- 220-240V / 50-60Hz
- Max. 40W




Bulb Included

035 001 0003  
HL 7152

## MANYAS-3

CHROME

- 220-240V / 50-60Hz
- Max. 2x40W



Bulb Included



**HOROZ ELECTRIC**

# Ceiling Lamp LED Ceiling Lamp



CEILING LAMP / LED CEILING LAMP




035 001 0004  
HL 7153

## MANYAS-4

CHROME

- 220-240V / 50-60Hz
- Max. 3x40W




Bulb Included

035 001 0001  
HL 7150

## MANYAS-1

CHROME

- 220-240V / 50-60Hz
- Max. 3x40W




Bulb Included

035 001 0006  
HL 7158

## MANYAS-6

CHROME

- 220-240V / 50-60Hz
- Max. 4x40W




Bulb Included

035 001 0005  
HL 7154

## MANYAS-5

CHROME

- 220-240V / 50-60Hz
- Max. 4x40W



Bulb Included




035 002 0002

**BERGAMA-2**

**CHROME**

HL 7171

- 220-240V / 50-60Hz
- Max. 40W



Bulb Included


035 002 0003

**BERGAMA-3**

**CHROME**

HL 7172

- 220-240V / 50-60Hz
- Max. 2x40W



Bulb Included


035 002 0001

**BERGAMA-1**

**CHROME**

HL 7170

- 220-240V / 50-60Hz
- Max. 3x40W



Bulb Included



CEILING LAMP / LED CEILING LAMP


035 002 0004

**BERGAMA-4**

**CHROME**

HL 7173

- 220-240V / 50-60Hz
- Max. 3x40W



Bulb Included


035 002 0005

**BERGAMA-5**

**CHROME**

HL 7174

- 220-240V / 50-60Hz
- Max. 4x40W




Bulb Included



035 003 0001  
HL 790N

**MANAVGAT-1**


**CHROME**  
■ 220-240V / 50-60Hz  
■ Max. 40W



035 003 0002  
HL 791N

**MANAVGAT-2**


**CHROME**  
■ 220-240V / 50-60Hz  
■ Max. 2x40W



035 003 0005  
HL 794N

**MANAVGAT-5**


**CHROME**  
■ 220-240V / 50-60Hz  
■ Max. 3x40W



035 003 0003  
HL 792N

**MANAVGAT-3**


**CHROME**  
■ 220-240V / 50-60Hz  
■ Max. 3x40W



035 003 0004  
HL 793N

**MANAVGAT-4**

**CHROME**  
■ 220-240V / 50-60Hz  
■ Max. 4x40W



CEILING LAMP / LED CEILING LAMP




035 004 0001

**BODRUM-1**

**MAT CHROME**

- 220-240V / 50-60Hz
- Max. 40W




035 004 0002

**BODRUM-2**

**MAT CHROME**

- 220-240V / 50-60Hz
- Max. 2x40W




035 004 0003

**BODRUM-3**

**MAT CHROME**

- 220-240V / 50-60Hz
- Max. 3x40W




CEILING LAMP / LED CEILING LAMP

035 004 0004

**BODRUM-4**

**MAT CHROME**

- 220-240V / 50-60Hz
- Max. 4x40W






035 005 0001  
HL 715

**KEMER-1**

**CHROME**

- 220-240V / 50-60Hz
- Max. 40W




Bulb Included

035 005 0002  
HL 716

**KEMER-2**

**CHROME**

- 220-240V / 50-60Hz
- Max. 2x40W




Bulb Included

035 005 0005  
HL 719

**KEMER-5**

**CHROME**

- 220-240V / 50-60Hz
- Max. 3x40W



Bulb Included




035 005 0003  
HL 717

**KEMER-3**

**CHROME**

- 220-240V / 50-60Hz
- Max. 3x40W




Bulb Included

035 005 0004  
HL 718

**KEMER-4**

**CHROME**

- 220-240V / 50-60Hz
- Max. 4x40W



Bulb Included




035 006 0001

### EFES-1

CHROME

HL 711

- 220-240V / 50-60Hz
- Max. 40W



Bulb Included


035 006 0002

### EFES-2

CHROME

HL 712

- 220-240V / 50-60Hz
- Max. 2x40W



Bulb Included


035 006 0003

### EFES-3

CHROME

HL 713

- 220-240V / 50-60Hz
- Max. 3x40W



Bulb Included




035 006 0004

### EFES-4

CHROME

HL 714

- 220-240V / 50-60Hz
- Max. 4x40W



Bulb Included



CEILING LAMP / LED CEILING LAMP






035 007 0001  
HL 743

**RIVA-1**

**MAT CHROME**

- 220-240V / 50-60Hz
- Max. 40W





Bulb Included

035 007 0002  
HL 744

**RIVA-2**

**MAT CHROME**

- 220-240V / 50-60Hz
- Max. 2x40W





Bulb Included

035 007 0003  
HL 745

**RIVA-3**

**MAT CHROME**

- 220-240V / 50-60Hz
- Max. 3x40W




Bulb Included

035 007 0005  
HL 747

**RIVA-5**

**MAT CHROME**

- 220-240V / 50-60Hz
- Max. 3x40W



Bulb Included

CEILING LAMP / LED CEILING LAMP





035 007 0004  
HL 746

**RIVA-4**

**MAT CHROME**

- 220-240V / 50-60Hz
- Max. 4x40W




Bulb Included

035 007 0006  
HL 748

**RIVA-6**

**MAT CHROME**

- 220-240V / 50-60Hz
- Max. 6x40W



Bulb Included






035 008 0001

HL 780

### DALYAN-1

**MAT CHROME**

- 220-240V / 50-60Hz
- Max. 40W



Bulb Included


035 008 0002

HL 781

### DALYAN-2

**MAT CHROME**

- 220-240V / 50-60Hz
- Max. 2x40W



Bulb Included


035 008 0005

HL 784

### DALYAN-5

**MAT CHROME**

- 220-240V / 50-60Hz
- Max. 3x40W



Bulb Included


035 008 0003

HL 782

### DALYAN-3

**MAT CHROME**

- 220-240V / 50-60Hz
- Max. 3x40W



Bulb Included


035 008 0004

HL 783

### DALYAN-4

**MAT CHROME**

- 220-240V / 50-60Hz
- Max. 4x40W



Bulb Included



CEILING LAMP / LED CEILING LAMP




CEILING LAMP / LED CEILING LAMP

035 009 0001  
HL 700

## AMOS-1


**CHROME + MAT CHROME**  
■ 220-240V / 50-60Hz  
■ Max. 40W



035 009 0004  
HL 703

## AMOS-4


**CHROME + MAT CHROME**  
■ 220-240V / 50-60Hz  
■ Max. 2x40W



035 009 0005  
HL 704

## AMOS-5



**CHROME + MAT CHROME**  
■ 220-240V / 50-60Hz  
■ Max. 3x40W



035 009 0002  
HL 701

## AMOS-2

**CHROME + MAT CHROME**  
■ 220-240V / 50-60Hz  
■ Max. 2x40W



035 009 0003  
HL 702

## AMOS-3

**CHROME + MAT CHROME**  
■ 220-240V / 50-60Hz  
■ Max. 3x40W






036 007 0001

## LİKYA-1

CHROME

- 220-240V / 50-60Hz
- 5W
- 300 lm
- 4000K




036 007 0002

## LİKYA-2

CHROME

- 220-240V / 50-60Hz
- 2x5W
- 2x300 lm
- 4000K




036 007 0003

## LİKYA-3

CHROME

- 220-240V / 50-60Hz
- 3x5W
- 3x300 lm
- 4000K




CEILING LAMP / LED CEILING LAMP

036 007 0004

## LİKYA-4

CHROME

- 220-240V / 50-60Hz
- 4x5W
- 4x300 lm
- 4000K




036 007 0005

## LİKYA-5

CHROME

- 220-240V / 50-60Hz
- 4x5W
- 4x300 lm
- 4000K




036 007 0006

## LİKYA-6

CHROME

- 220-240V / 50-60Hz
- 6x5W
- 6x300 lm
- 4000K




036 001 0002

## PATARA-2

CHROME

HL 7181L

- 220-240V / 50-60Hz
- 4W
- 260 lm
- 4000K




036 001 0003

## PATARA-3

CHROME

HL 7182L

- 220-240V / 50-60Hz
- 2x4W
- 2x260 lm
- 4000K




036 001 0001

## PATARA-1

CHROME

HL 7180L

- 220-240V / 50-60Hz
- 3x4W
- 3x260 lm
- 4000K




036 001 0004

## PATARA-4

CHROME

HL 7183L

- 220-240V / 50-60Hz
- 3x4W
- 3x260 lm
- 4000K




036 001 0005

## PATARA-5

CHROME

HL 7184L

- 220-240V / 50-60Hz
- 4x4W
- 4x260 lm
- 4000K






036 002 0002

### LARA-2

CHROME

HL 7191L



- 220-240V / 50-60Hz
- 4W
- 260 lm
- 4000K



036 002 0003


### LARA-3

CHROME

HL 7192L



- 220-240V / 50-60Hz
- 2x4W
- 2x260 lm
- 4000K



036 002 0001


### LARA-1

CHROME

HL 7190L



- 220-240V / 50-60Hz
- 3x4W
- 3x260 lm
- 4000K



CEILING LAMP / LED CEILING LAMP

036 002 0004


### LARA-4

CHROME

HL 7193L



- 220-240V / 50-60Hz
- 3x4W
- 3x260 lm
- 4000K



036 002 0005


### LARA-5

CHROME

HL 7194L



- 220-240V / 50-60Hz
- 4x4W
- 4x260 lm
- 4000K




036 003 0002

## SIDE-2

CHROME

HL 7161L

- 220-240V / 50-60Hz
- 5W
- 325 lm
- 4000K




036 003 0003

## SIDE-3

CHROME

HL 7162L

- 220-240V / 50-60Hz
- 2x5W
- 2x325 lm
- 4000K




036 003 0001

## SIDE-1

CHROME

HL 7160L

- 220-240V / 50-60Hz
- 3x5W
- 3x325 lm
- 4000K




036 003 0004

## SIDE-4

CHROME

HL 7163L

- 220-240V / 50-60Hz
- 3x5W
- 3x325 lm
- 4000K



036 003 0005

## SIDE-5

CHROME

HL 7164L

- 220-240V / 50-60Hz
- 4x5W
- 4x325 lm
- 4000K






036 005 0001

## DİDİM-1

CHROME

- 220-240V / 50-60Hz
- 3x5W
- 3x400 lm
- 4000K




036 005 0002

## DİDİM-2

CHROME

- 220-240V / 50-60Hz
- 5W
- 400 lm
- 4000K




036 005 0003

## DİDİM-3

CHROME

- 220-240V / 50-60Hz
- 2x5W
- 2x400 lm
- 4000K




CEILING LAMP / LED CEILING LAMP

036 005 0004

## DİDİM-4

CHROME

- 220-240V / 50-60Hz
- 3x5W
- 3x400 lm
- 4000K




036 005 0005

## DİDİM-5

CHROME

- 220-240V / 50-60Hz
- 4x5W
- 4x400 lm
- 4000K






036 006 0001

## ASSOS-1

CHROME

- 220-240V / 50-60Hz
- 3x5W
- 3x400 lm
- 4000K




036 006 0002

## ASSOS-2

CHROME

- 220-240V / 50-60Hz
- 5W
- 400 lm
- 4000K



036 006 0003

## ASSOS-3

CHROME

- 220-240V / 50-60Hz
- 2x5W
- 2x400 lm
- 4000K




036 006 0004

## ASSOS-4

CHROME

- 220-240V / 50-60Hz
- 3x5W
- 3x400 lm
- 4000K




036 006 0005

## ASSOS-5

CHROME

- 220-240V / 50-60Hz
- 4x5W
- 4x400 lm
- 4000K








036 004 0001

## MİLAS-1

CHROME

HL 7140L

- 220-240V / 50-60Hz
- 3x5W
- 3x400 lm
- 4000K




036 004 0002

## MİLAS-2

CHROME

HL 7141L

- 220-240V / 50-60Hz
- 5W
- 400 lm
- 4000K




036 004 0003

## MİLAS-3

CHROME

HL 7142L

- 220-240V / 50-60Hz
- 2x5W
- 2x400 lm
- 4000K



CEILING LAMP / LED CEILING LAMP


036 004 0004

## MİLAS-4

CHROME

HL 7143L

- 220-240V / 50-60Hz
- 3x5W
- 3x400 lm
- 4000K




036 004 0005

## MİLAS-5

CHROME

HL 7144L

- 220-240V / 50-60Hz
- 4x5W
- 4x400 lm
- 4000K



**AQUA-1**


037 001 0001

HL 881



**CHROME**

- 220-240V / 50-60Hz
- Max. 40W



**VODA-1**


037 002 0001

HL 891



**CHROME**

- 220-240V / 50-60Hz
- Max. 40W



Bathroom Lamp  
Picture & Mirror Lamp  
LED Picture & Mirror Lamp  
LED Reading Lamp



**AQUA-2**


037 001 0002

HL 882



**CHROME**

- 220-240V / 50-60Hz
- Max. 2x40W



**VODA-2**


037 002 0002

HL 892



**CHROME**

- 220-240V / 50-60Hz
- Max. 2x40W



**AQUA-3**


037 001 0003

HL 883



**CHROME**

- 220-240V / 50-60Hz
- Max. 3x40W



**VODA-3**


037 002 0003

HL 893



**CHROME**

- 220-240V / 50-60Hz
- Max. 3x40W






040 013 0012

**TOYGAR-12**



**CHROME**

- 100-250V / 50-60Hz
- 12W
- 1100 lm
- 4200K
- Average Life: 30.000 Hrs




040 011 0009

**SUMRU-9**



**CHROME**

- 85-265V / 50-60Hz
- 9W
- 850 lm
- 4200K
- Average Life: 30.000 Hrs



040 010 0009

**EBABI-9**



**CHROME**

- 85-265V / 50-60Hz
- 9W
- 850 lm
- 4200K
- Average Life: 30.000 Hrs



**KANARYA-8** 040 017 0008 **CHROME**

**NEW**

- 100-250V / 50-60Hz
- 8W, 570 lm
- 4200K
- Average Life: 30.000 Hrs



405 mm

120 mm

120 mm

8W SMD LED

2700K 4200K 6000K

ON-OFF

**KANARYA-12** 040 017 0012 **CHROME**

**NEW**

- 100-250V / 50-60Hz
- 12W, 850 lm
- 4200K
- Average Life: 30.000 Hrs



555 mm

120 mm

120 mm

12W SMD LED

2700K 4200K 6000K

ON-OFF



**FLAMINGO-4** 040 001 0004 **CHROME**

**HL 6641L**

**21 LED**

- 100-250V / 50-60Hz
- 4W, 360 lm
- 4200K
- Average Life: 30.000 Hrs



405 mm

52 mm

175 mm

4W SMD LED

2700K 4200K 6000K

ON-OFF

**FLAMINGO-6** 040 001 0006 **CHROME**

**HL 6642L**

**30 LED**

- 100-250V / 50-60Hz
- 6W, 500 lm
- 4200K
- Average Life: 30.000 Hrs



505 mm

52 mm

185 mm

6W SMD LED

2700K 4200K 6000K

ON-OFF

**ALBATROS-4** 040 002 0004 **CHROME**

**HL 6651L**

**21 LED**

- 100-250V / 50-60Hz
- 4W, 360 lm
- 4200K
- Average Life: 30.000 Hrs



407 mm

55 mm

100 mm

4W SMD LED

2700K 4200K 6000K

ON-OFF

**ALBATROS-6** 040 002 0006 **CHROME**

**HL 6652L**

**30 LED**

- 100-250V / 50-60Hz
- 6W, 500 lm
- 4200K
- Average Life: 30.000 Hrs



555 mm

55 mm

108 mm

6W SMD LED

2700K 4200K 6000K

ON-OFF



### LORI-6


040 008 0006



CHROME

12 LED

- 85-265V / 50-60Hz
- 6W, 360 lm
- 4200K
- Average Life: 30.000 Hrs



### LORI-9


040 008 0009



CHROME

18 LED

- 85-265V / 50-60Hz
- 9W, 540 lm
- 4200K
- Average Life: 30.000 Hrs



### FLORYA-3

040 009 0003



CHROME

- 100-265V / 50-60Hz
- 3W
- 214 lm
- 4000K
- Average Life: 30.000 Hrs




### FLORYA-6

040 009 0006



CHROME

- 100-265V / 50-60Hz
- 6W
- 428 lm
- 4000K
- Average Life: 30.000 Hrs




### FLORYA-9

040 009 0009



CHROME

- 100-265V / 50-60Hz
- 9W
- 640 lm
- 4000K
- Average Life: 30.000 Hrs



### PELIKAN

040 003 0004


HL 6631L



CHROME

21 LED


- 100-250V / 50-60Hz
- 4W, 148 lm
- 4200K
- Average Life: 30.000 Hrs



### SAKA

040 004 0003

HL 003L



RED

WHITE

BLACK

- 220-240V / 50-60Hz
- 3W, 130 lm
- 3000K
- Average Life: 30.000 Hrs




ON-OFF

### MARTI

040 005 0003

HL 008L



RED

WHITE

BLACK


- 220-240V / 50-60Hz
- 3W, 130 lm
- 3000K
- Average Life: 30.000 Hrs



ON-OFF

### KUĞU

040 006 0003



SILVER

- 220-240V / 50-60Hz
- 3W, 200 lm
- 4200K
- Average Life: 30.000 Hrs



ON-OFF

### TURNA

040 007 0003



SILVER

- 220-240V / 50-60Hz
- 3W, 200 lm
- 4200K
- Average Life: 30.000 Hrs




ON-OFF

039 001 0001

HL 652

### KUMRU



CHROME

MAT CHROME

GOLDEN


TITANIUM BLACK

- Built in electronic transformer
- 220-240V / 50-60Hz 12V
- Max. 2x20W, 500 lm



JC 64

### HL 651



CHROME

MAT CHROME

- Built in electronic transformer
- 220-240V / 50-60Hz 12V
- Max. 2x20W (JC)
- Max. 2x35W (MR11)



JC 64

MR11 64



**LED Floor Lamp  
Floor Lamp**



046 001 0003

HL 004L


**TUNA**

**RED**

**WHITE**

**BLACK**

- 220-240V / 50-60Hz
- 3W, 130 lm
- 3000K
- Average Life: 30.000 Hrs



LED FLOOR LAMP / FLOOR LAMP

046 002 0003

HL 009L

**ARAS**

**RED**

**WHITE**

**BLACK**

- 220-240V / 50-60Hz
- 3W, 130 lm
- 3000K
- Average Life: 30.000 Hrs



046 003 0003

HL 012L

**DICLE**

**RED**

**WHITE**

**BLACK**

- 220-240V / 50-60Hz
- 3W, 130 lm
- 3000K
- Average Life: 30.000 Hrs





**MERİÇ-1**

045 001 0001

HL 080



**BLUE**

**WHITE**

**GREEN**

**ORANGE**

220-240V / 50-60Hz  
Max. 100W



**MERİÇ-2**


045 001 0002

HL 081



**WHITE**

220-240V / 50-60Hz  
Mother: Max. 100W E27  
Baby: Max. 40W E14



**MERİÇ-3**

045 001 0003

HL 082



**WHITE**

220-240V / 50-60Hz  
Mother: Max. 100W E27  
Baby: Max. 40W E14







**HOROZ ELECTRIC**


# LED Desk Lamp / Desk Lamp

## ASTRO

049 026 0006



LED NIGHT LAMP



WHITE

YELLOW

PINK

- 100-240V / 50-60Hz
- 6W, 350 lm
- 3000K-4500K-6000K
- Average Life: 30.000 Hrs



**HOROZ ELECTRIC**

## LED Desk Lamp Desk Lamp




## JUMBO

049 027 0006



LED NIGHT LAMP



WHITE

BLUE

PINK

- 100-240V / 50-60Hz
- 6W, 350 lm
- 3000K-4500K-6000K
- Average Life: 30.000 Hrs



## FELIX

049 028 0006



LED NIGHT LAMP



WHITE

BLUE

PINK

- 100-240V / 50-60Hz
- 6W, 350 lm
- 3000K-4500K-6000K
- Average Life: 30.000 Hrs




## SNOOPY

049 029 0006



LED NIGHT LAMP



WHITE

BLUE

YELLOW

- 100-240V / 50-60Hz
- 6W, 350 lm
- 3000K-4500K-6000K
- Average Life: 30.000 Hrs



LED DESK LAMP / DESK LAMP



049 010 0010


### EBRU

BLACK

WHITE

SILVER

- 100-240V / 50-60Hz
- 10W, 600 lm
- 3000K / 4500K / 6000K
- Average Life: 30.000 Hrs



049 009 0005


### MERVE

BLUE

YELLOW

PINK

- 100-240V / 50-60Hz
- 5W, 300 lm
- 4600K
- Average Life: 30.000 Hrs



049 011 0005

### İREM

RED

WHITE

BLACK

- 100-240V / 50-60Hz
- 5W, 300 lm
- 4600K
- Average Life: 30.000 Hrs



LED DESK LAMP / DESK LAMP

049 004 0003

HL 007L

### DİLARA

RED

WHITE

BLACK

- 220-240V / 50-60Hz
- 3W, 130 lm
- 3000K
- Average Life: 30.000 Hrs



049 005 0003

HL 011L

### BUKET

RED

WHITE

BLACK

- 220-240V / 50-60Hz
- 3W, 130 lm
- 3000K
- Average Life: 30.000 Hrs





049 006 0003  
HL 010L


## BERNA

BLACK

WHITE

BLUE

RED



- 220-240V / 50-60Hz
- 3W, 130 lm
- 3000K
- Average Life: 30.000 Hrs



ON-OFF



049 007 0003  
HL 013L

## BUSE

BLACK

WHITE

BLUE

RED

GREEN



- 220-240V / 50-60Hz
- 3W, 130 lm
- 3000K
- Average Life: 30.000 Hrs



ON-OFF



049 008 0003  
HL 014L

## BİLGE

BLACK

WHITE

BLUE

RED

GREEN



- 220-240V / 50-60Hz
- 3W, 130 lm
- 3000K
- Average Life: 30.000 Hrs



ON-OFF



049 002 0003  
HL 002L

## BEYZA

RED

WHITE


BLACK



- 220-240V / 50-60Hz
- 3W, 130 lm
- 3000K
- Average Life: 30.000 Hrs



ON-OFF



049 003 0003  
HL 006L

## ALEYNA

RED

WHITE


BLACK



- 220-240V / 50-60Hz
- 3W, 130 lm
- 3000K
- Average Life: 30.000 Hrs



ON-OFF



049 001 0003  
HL 001L

## ECE

RED

WHITE


BLACK



- 220-240V / 50-60Hz
- 3W, 130 lm
- 3000K
- Average Life: 30.000 Hrs



ON-OFF





LED DESK LAMP / DESK LAMP

### BUDDY

048 001 0015  
HL 045

**PINK**  
**BLUE**  
**YELLOW**

- 220-240V / 50-60Hz
- 15W
- 4500K
- 500 lm

270° COOL WHITE

G10q ON-OFF

Bulb Included




430 mm  
195 mm

### OSCAR

048 002 0015  
HL 046

**PINK**  
**WHITE**  
**YELLOW**

- 220-240V / 50-60Hz
- 15W
- 4500K
- 500 lm

270° COOL WHITE

G10q ON-OFF

Bulb Included




450 mm  
230 mm

### TOBY

048 003 0015  
HL 047

**ORANGE**  
**BLUE**  
**YELLOW**

- 220-240V / 50-60Hz
- 15W
- 4500K
- 500 lm

270° COOL WHITE

Bulb Included

G10q ON-OFF




400 mm  
205 mm

### KITTY

048 004 0011  
HL 036

**PINK**  
**BLUE**  
**GREEN**

- 220-240V / 50-60Hz
- Max. 11W, 350 lm

270° COOL WHITE

PL G23 ON-OFF

Bulb Included




375 mm  
185 mm

048 008 0011  
HL 044

### FLYER



**PINK**  
**BLUE**  
**YELLOW**

- 220-240V / 50-60Hz
- Max. 11W, 350 lm

270° COOL WHITE

PL G23 ON-OFF

Bulb Included

365 mm  
312 mm

048 006 0011  
HL 038

### APPLE

**PINK**  
**BLUE**  
**YELLOW**

- 220-240V / 50-60Hz
- Max. 11W, 350 lm

270° COOL WHITE

PL G23 ON-OFF

Bulb Included




330 mm  
200 mm 165 mm

048 007 0011  
HL 043

### DONALD

**BLUE**  
**ORANGE**  
**GREEN**

- 220-240V / 50-60Hz
- Max. 11W, 350 lm

270° COOL WHITE

Bulb Included

PL G23 ON-OFF




460 mm  
360 mm





048 010 0060  
HL 067


### DERYA

BLACK

WHITE

RED

- 220-240V / 50-60Hz
- Max. 60W



048 011 0040  
HL 068

### DENİZ

BLACK

WHITE

RED

- 220-240V / 50-60Hz
- Max. 40W



048 009 0060  
HL 050

### BİHTER


BLACK

WHITE

RED

BLUE

- 220-240V / 50-60Hz
- Max. 60W



048 013 0060  
HL 074


### RANA

BLACK

WHITE

RED

- 220-240V / 50-60Hz
- Max. 60W




048 014 0060  
HL 090

### SİMGE

GREEN

BLUE

- 220-240V / 50-60Hz
- Max. 60W





**HOROZ ELECTRIC**

# LED Batten Light / Electronic Wall Lamp

052 003 0060

**TETRA-18**



- 1135 lm
- Average Life: 20,000 Hrs
- 200-240V / 50-60Hz
- 6400K



052 003 0120

**TETRA-36**



- 2269 lm
- Average Life: 20,000 Hrs
- 200-240V / 50-60Hz
- 6400K



**HOROZ ELECTRIC**

## LED Batten Light Electronic Wall Lamp



052 001 0030

**SIGMA-4**

052 001 0060

**SIGMA-7**

052 001 0090

**SIGMA-10**

052 001 0120

**SIGMA-14**

HL 2001L



**4W - 30 cm**

**7W - 60 cm**

**10W - 90 cm**

**14W - 120 cm**

- 254 lm
- 552 lm
- 846 lm
- 1100 lm
- Average Life: 20,000 Hrs
- 220-240V / 50-60Hz
- 6400K

4W-282 mm 10W-856 mm  
7W-546 mm 14W-1156 mm



052 002 0030

**OMEGA-6**

052 002 0060

**OMEGA-9**

052 002 0090

**OMEGA-12**

052 002 0120

**OMEGA-16**

HL 3011L



**6W - 30 cm**

**9W - 60 cm**

**12W - 90 cm**

**16W - 120 cm**

- 273 lm
- 538 lm
- 898 lm
- 1136 lm
- Average Life: 20,000 Hrs
- 220-240V / 50-60Hz
- 6400K

6W-282 mm 12W-856 mm  
9W-546 mm 16W-1156 mm



LED BATTEN LIGHT / ELECTRONIC WALL LAMP

**BETA-18** 220-240V / 50-60Hz  
053 002 0018

**BETA-36** 220-240V / 50-60Hz  
053 002 0036

**HL 3011**

T8 ON-OFF

**ALFA-6** 053 001 0006

**ALFA-13** 053 001 0013

**ALFA-8** 053 001 0008

**ALFA-28** 053 001 0028

**HL 2001**

220-240V / 50-60Hz

T5 ON-OFF

**DELTA-18** 053 008 0018

**DELTA-36** 053 008 0036

**HL 160 18W / HL 161 36W**

220-240V / 50-60Hz

T8

**PUNTO-36** 053 009 0036

**PUNTO-72** 053 009 0072

**HL 162 2x18W / HL 163 2x36W**

220-240V / 50-60Hz

T8

**ZETA-18** 053 010 0018

**ZETA-36** 053 010 0036

**HL 164 18W / HL 165 36W**

220-240V / 50-60Hz

T8

LED BATTEN LIGHT / ELECTRONIC WALL LAMP / FLUORESCENT LOUVER FITTING

**HOROZ ELECTRIC** Fluorescent Louver Fitting



054 001 0080

**HL 182E 4x20W**

**RECESSED TYPE**


- 220-240V / 50-60Hz
- With built-in suitable electronic ballast
- For Lamp: 4x20W, 4000 lm

**ELECTRONIC BALLAST**

T8

**IRMAK-18**


059 004 0018



- 170-265V/50-60Hz
- 18W
- 1440 lm
- 4200K / 6400K
- Average Life: 30.000Hrs

**IRMAK-36**

059 004 0036



- 170-265V/50-60Hz
- 36W
- 2880 lm
- 4200K / 6400K
- Average Life: 30.000Hrs




LED Waterproof Lamp  
Waterproof Lamp  
Magnetic Wall Lamp



**NEHİR-18**

059 003 0018



- 170-265V/50-60Hz
- 18W
- 1440 lm
- 4200K / 6400K
- Average Life: 30.000Hrs

**NEHİR-36**

059 003 0036




- 170-265V/50-60Hz
- 36W
- 2880 lm
- 4200K / 6400K
- Average Life: 30.000Hrs



**OKYANUS-36**


059 005 0036



- 170-265V/50-60Hz
- 36W
- 2880 lm
- 4200K / 6400K
- Average Life: 30.000Hrs

**OKYANUS-72**

059 005 0072



- 170-265V/50-60Hz
- 72W
- 5760 lm
- 4200K / 6400K
- Average Life: 30.000Hrs







**IRMAK-45**

059 004 0045



- 170-265V/50-60Hz
- 45W
- 3600 lm
- 4200K / 6400K
- Average Life: 30.000Hrs



**NEHIR-45**

059 003 0045



- 170-265V/50-60Hz
- 45W
- 3600 lm
- 4200K / 6400K
- Average Life: 30.000Hrs



**OKYANUS-90**

059 005 0090




- 170-265V/50-60Hz
- 90W
- 7200 lm
- 4200K / 6400K
- Average Life: 30.000Hrs




**059 002 1009**
**SU-1009**


- 175-250V / 50-60Hz
- 9W
- 750 lm
- Average Life: 25.000 Hrs
- 6400K


**INCLUDED LED TUBE  
PC COVER**

**059 002 1018**
**SU-1018**


- 175-250V / 50-60Hz
- 18W
- 1450 lm
- Average Life: 25.000 Hrs
- 6400K


**INCLUDED LED TUBE  
PC COVER**

**059 002 2009**
**SU-2009**

- 175-250V / 50-60Hz
- 18W
- 1500 lm
- Average Life: 25.000 Hrs
- 6400K


**INCLUDED LED TUBE  
PC COVER**

**059 002 2018**
**SU-2018**

- 175-250V / 50-60Hz
- 36W
- 2900 lm
- Average Life: 25.000 Hrs
- 6400K


**INCLUDED LED TUBE  
PC COVER**


**058 001 1020** **TRONIC-1020**

**HL 141E**

- 220-240V / 50-60Hz
- With built-in suitable electronic ballast
- Max. 20W
- For Lamp: 1000 lm

**ELECTRONIC BALLAST** **IP54** **PC COVER**

**058 001 2020** **TRONIC-2020**

**HL 143E**

- 220-240V / 50-60Hz
- With built-in suitable electronic ballast
- Max. 2x20W
- For Lamp: 2000 lm

**ELECTRONIC BALLAST** **IP54** **PC COVER**

**058 001 1040** **TRONIC-1040**

**HL 142E**

- 220-240V / 50-60Hz
- With built-in suitable electronic ballast
- Max. 40W
- For Lamp: 2500 lm

**ELECTRONIC BALLAST** **IP54** **PC COVER**

**058 001 2040** **TRONIC-2040**

**HL 144E**

- 220-240V / 50-60Hz
- With built-in suitable electronic ballast
- Max. 2x40W
- For Lamp: 5000 lm

**ELECTRONIC BALLAST** **IP54** **PC COVER**

**060 001 1020** **TMS-1020**

**HL 150**

- 220-240V / 50-60Hz
- With built-in suitable ballast & starter
- Current: 0.37A
- $\Delta T65^{\circ}\text{C}$  TW105\*
- Max 20W
- For Lamp: 1000 lm

**IP20**

**060 001 1040** **TMS-1040**

**HL 152**

- 220-240V / 50-60Hz
- With built-in suitable ballast & starter
- Current: 0.43A
- $\Delta T65^{\circ}\text{C}$  TW105\*
- Max 40W
- For Lamp: 2500 lm

**IP20**

**060 001 2020** **TMS-2020**

**HL 151**

- 220-240V / 50-60Hz
- With built-in suitable ballast & starter
- Current: 0.41A
- $\Delta T65^{\circ}\text{C}$  TW105\*
- Max 2x20W
- For Lamp: 2000 lm

**IP20**

**060 001 2040** **TMS-2040**

**HL 153**

- 220-240V / 50-60Hz
- With built-in suitable ballast & starter
- Current: 0.43A
- $\Delta T65^{\circ}\text{C}$  TW105\*
- Max 2x40W
- For Lamp: 5000 lm

**IP20**

**HL 140**

- 220-240V / 50-60Hz
- 11W
- With built-in suitable ballast
- For Lamp: 520 lm

**11W** **PL** **G23** **IP20**



062 001 0015

### ZEUS

HL 500



- 220-240V / 50-60Hz
- PC
- Max. 75W
- Max. 15W ESL

SHATTERPROOF



062 003 0025

### AFRODIT

HL 502



- RED
- GREEN
- BLUE
- PINK
- CLEAR

- 220-240V / 50-60Hz
- PC
- Max. 100W
- Max. 25W ESL



062 002 0015

### APOLLON

HL 501



- 220-240V / 50-60Hz
- PC
- Max. 75W
- Max. 15W ESL

SHATTERPROOF



062 004 0045

### EROS

HL 505



- 220-240V / 50-60Hz
- PC
- Max. 200W
- Max. 45W ESL

SHATTERPROOF



062 005 0045

### ATHENA

HL 506



- 220-240V / 50-60Hz
- PC
- Max. 200W
- Max. 45W ESL

SHATTERPROOF



062 006 0065

### ARES

HL 510



- 220-240V / 50-60Hz
- PC
- Max. 300W
- Max. 65W ESL

SHATTERPROOF



062 007 0065

### GALYA

HL 513



- 220-240V / 50-60Hz
- PC
- Max. 300W
- Max. 65W ESL

SHATTERPROOF



062 008 0105

### HERA

HL 514



- 220-240V / 50-60Hz
- PC
- Max. 250W

SHATTERPROOF



HIGH BAY LAMP / LED HIGH BAY LAMP





## ARTEMIS-100

063 003 0100

- 100-250V / 50-60Hz
- Aluminium Die Casting Body
- Average Life: 30.000 Hrs
- 100W, 10000 lm
- 4200K



NEW



## ARTEMIS-150

063 003 0150

- 100-250V / 50-60Hz
- Aluminium Die Casting Body
- Average Life: 30.000 Hrs
- 150W, 15000 lm
- 4200K



NEW



HIGH BAY LAMP / LED HIGH BAY LAMP

## ARTEMIS-200

063 003 0200

- 100-250V / 50-60Hz
- Aluminium Die Casting Body
- Average Life: 30.000 Hrs
- 200W, 20000 lm
- 4200K




NEW



## OLIMPOS-100

063 002 0100

- 170-265V / 50-60Hz
- Aluminium Body
- Average Life: 30.000 Hrs
- 100W, 9200 lm
- 4200K



NEW






## ATLAS-50


063 001 0050

HL 515L

- 220-240V / 50-60Hz
- Aluminium Body
- Average Life: 30.000 Hrs
- 50W, 2990 lm
- 6400K



50W




## ATLAS-70

063 001 0070

HL 516L

- 220-240V / 50-60Hz
- Aluminium Body
- Average Life: 30.000 Hrs
- 70W, 4540 lm
- 6400K



70W




## ATLAS-100

063 001 0100

HL 517L

- 220-240V / 50-60Hz
- Aluminium Body
- Average Life: 30.000 Hrs
- 90W, 5880 lm
- 6400K



90W





**KAPLAN-45**


068 007 0045

**NEW**



**BLACK**

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 45W, 3600 lm
- 4200K



Module LED and Apparatus  
LED Projector  
Projector Stand




**KAPLAN-45W**

068 007 0001

Apparatus for Wall Lamp



**NEW**



Projector Not Included


**KAPLAN-45S**

068 007 0002

Apparatus for Street Lamp



**NEW**



Projector Not Included


**KAPLAN-45C**

068 007 0003

Apparatus for Connection



**NEW**



Projector Not Included




068 006 0020

**LEOPAR-20**

**BLACK**

- 85-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 20W, 1700 lm
- 2700K / 4200K / 6400K




068 006 0030

**LEOPAR-30**

**BLACK**

- 85-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 30W, 2550 lm
- 2700K / 4200K / 6400K




068 006 0050

**LEOPAR-50**

**BLACK**

- 85-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 50W, 4250 lm
- 2700K / 4200K / 6400K




068 006 0100

**LEOPAR-100**

**BLACK**

- 85-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 100W, 8500 lm
- 2700K / 4200K / 6400K




068 006 0150

**LEOPAR-150**

**BLACK**

- 85-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 150W, 12750 lm
- 2700K / 4200K / 6400K




068 006 0200

**LEOPAR-200**

**BLACK**

- 85-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 200W, 17000 lm
- 2700K / 4200K / 6400K








068 005 0050

### PANTER-50

BLACK

- 85-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 50W, 3750 lm
- 2700K / 4200K / 6400K




068 005 0100

### PANTER-100

BLACK

- 85-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 100W, 7500 lm
- 2700K / 4200K / 6400K




068 005 0150

### PANTER-150

BLACK

- 85-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 150W, 11250 lm
- 2700K / 4200K / 6400K




068 005 0200

### PANTER-200

BLACK

- 85-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 200W, 15000 lm
- 2700K / 4200K / 6400K




068 005 0300

### PANTER-300

BLACK

- 85-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 300W, 22500 lm
- 2700K / 4200K / 6400K




068 005 0400

### PANTER-400

BLACK

- 85-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 400W, 30000 lm
- 2700K / 4200K / 6400K



**PARS-10** BLACK

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 10W, 800 lm
- 6400K / 2700K / GREEN

068 008 0010

**NEW**

112 mm  
96 mm  
25 mm

IP65

10W SMD LED

**PARS-20** BLACK

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 20W, 1600 lm
- 6400K / 2700K / GREEN

068 008 0020

**NEW**

140 mm  
122 mm  
28 mm

IP65

20W SMD LED

**PARS-30** BLACK

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 30W, 2400 lm
- 6400K / 2700K / GREEN

068 008 0030

**NEW**

170 mm  
151 mm  
30 mm

IP65

30W SMD LED

068 008 0050 **PARS-50** BLACK

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 50W, 4000 lm
- 6400K / 2700K / GREEN

**NEW**

208 mm  
186 mm  
33 mm

IP65

50W SMD LED

068 008 0100 **PARS-100** BLACK

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 100W, 8000 lm
- 6400K / 2700K

**NEW**

274 mm  
239 mm  
42 mm

IP65

100W SMD LED

068 008 0200 **PARS-200** BLACK

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 200W, 16000 lm
- 6400K / 2700K

**NEW**

395 mm  
308 mm  
45 mm

IP65

200W SMD LED

068 008 0300 **PARS-300** BLACK

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 300W, 24000 lm
- 6400K / 2700K

**NEW**

395 mm  
312 mm  
48 mm

IP65

300W SMD LED



068 009 0010

### PARS/S-10


BLACK

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 10W, 800 lm
- 6400K



NEW

WITH PIR SENSOR



068 009 0020

### PARS/S-20


BLACK

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 20W, 1600 lm
- 6400K



NEW

WITH PIR SENSOR



068 009 0030

### PARS/S-30


BLACK

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 30W, 2400 lm
- 6400K



NEW

WITH PIR SENSOR



068 009 0050

### PARS/S-50


BLACK

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 50W, 4000 lm
- 6400K



NEW

WITH PIR SENSOR




068 009 0100

### PARS/S-100


BLACK

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 100W, 8000 lm
- 6400K

NEW



WITH PIR SENSOR



MODULE LED AND APPARATUS / LED PROJECTOR / PROJECTOR STAND

**PUMA-10**

068 003 0010

**BLACK**

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 10W, 500 lm
- 6400K / 2700K / GREEN

**BLACK**

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 20W, 1000 lm
- 6400K / 2700K / GREEN

**PUMA-20**

068 003 0020

**BLACK**

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 20W, 1000 lm
- 6400K / 2700K / GREEN

**BLACK**

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 20W, 1000 lm
- 6400K / 2700K / GREEN

**PUMA-30**

068 003 0030

**BLACK**

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 30W, 1500 lm
- 6400K / 2700K / GREEN

**BLACK**

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 30W, 1500 lm
- 6400K / 2700K / GREEN

068 003 0050

**PUMA-50**

**BLACK**

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 50W, 2500 lm
- 6400K / 2700K / GREEN

**BLACK**

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 50W, 2500 lm
- 6400K / 2700K / GREEN

068 003 0100

**PUMA-100**

**BLACK**

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 100W, 5000 lm
- 6400K / 2700K

**BLACK**

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 100W, 5000 lm
- 6400K / 2700K

068 003 0200

**PUMA-200**

**BLACK**

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 200W, 10000 lm
- 6400K / 2700K

**BLACK**

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 200W, 10000 lm
- 6400K / 2700K

068 003 0300

**PUMA-300**

**BLACK**

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 300W, 15000 lm
- 6400K / 2700K

**BLACK**

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 300W, 15000 lm
- 6400K / 2700K



068 004 0010


### PUMA/S-10

BLACK

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 10W, 500 lm
- 6400K



WITH PIR SENSOR



068 004 0020


### PUMA/S-20

BLACK

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 20W, 1000 lm
- 6400K



WITH PIR SENSOR



068 004 0030


### PUMA/S-30

BLACK

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 30W, 1500 lm
- 6400K



WITH PIR SENSOR



068 004 0050


### PUMA/S-50

BLACK

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 50W, 2500 lm
- 6400K



WITH PIR SENSOR




068 004 0100


### PUMA/S-100

BLACK

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 100W, 5000 lm
- 6400K



WITH PIR SENSOR




068 002 0010

**JAGUAR-10**

HL 171L

**BLACK**

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 10W, 520 lm
- 6500K




068 002 0030

**JAGUAR-30**

HL 172L

**BLACK**

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 30W, 2014 lm
- 6500K




068 002 0100

**JAGUAR-100**

HL 174L

**BLACK**

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 2x50W, 6265 lm
- 6500K



**Projector Stand**



**TRIPOD SINGLE**

107 001 0001


- TRIPOD SINGLE STAND
- 1.8 meter H05VV-F cable



**TRIPOD DOUBLE**

107 001 0002


- TRIPOD DOUBLE STAND
- 1.8 meter H05VV-F cable



107 001 0003

**PORTABLE**

- PORTABLE STAND
- 1.5 meter H05VV-F cable





065 001 0150


HL 100



WHITE

BLACK

- 220-240V / 50-60Hz
- Max. 150W



Bulb Included

065 001 0500


HL 101



WHITE

BLACK

- 220-240V / 50-60Hz
- Max. 500W



Bulb Included



## Halogen Projector Metal Halide Projector



065 002 0150


HL 104



WHITE

BLACK

- 220-240V / 50-60Hz
- Max. 150W



Bulb Included

065 002 0500


HL 105



WHITE

BLACK

- 220-240V / 50-60Hz
- Max. 500W



Bulb Included


067 002 0150

HL 120A



BLACK

- 220-240V / 50-60Hz
- Max. 150W




HL 135



WHITE

- 220-240V / 50-60Hz
- Max. 150W
- With Ballast





**HOROZ ELECTRIC**

**LED Canopy Light**


**FALCON**

**NEW**

**RECESSED**

069 001 0110

- 100-240V / 50-60Hz
- 6400K
- 110W
- 11000 lm
- Average Life: 50.000 Hrs




**EAGLE**

**NEW**

**SURFACED**

069 002 0110

- 100-240V / 50-60Hz
- 6400K
- 110W
- 11000 lm
- Average Life: 50.000 Hrs



LED CANOPY LIGHT



**HOROZ ELECTRIC**

**LED Canopy Light**







# HOROZ ELECTRIC


## LED Wallwasher

### REGAL-9

109 001 0009

- AMBER
- 3000K
- RED
- GREEN
- BLUE

- 85-265V/50-60Hz
- 540 lm
- Average Life: 50.000 Hrs
- Aluminium Body




### REGAL-12

109 001 0012

- AMBER
- 3000K
- RED
- GREEN
- BLUE

- 85-265V/50-60Hz
- 720 lm
- Average Life: 50.000 Hrs
- Aluminium Body



# HOROZ ELECTRIC

## LED Wallwasher




### REGAL-18

109 001 0018

- AMBER
- 3000K
- RED
- GREEN
- BLUE

- 85-265V/50-60Hz
- 1080 lm
- Average Life: 50.000 Hrs
- Aluminium Body



LED WALLWASHER

### REGAL-24

109 001 0024

- AMBER
- 3000K
- RED
- GREEN
- BLUE

- 85-265V/50-60Hz
- 1440 lm
- Average Life: 50.000 Hrs
- Aluminium Body



### REGAL-36

109 001 0036

- AMBER
- 3000K
- RED
- GREEN
- BLUE

- 85-265V/50-60Hz
- 2160 lm
- Average Life: 50.000 Hrs
- Aluminium Body




070 001 0060  
HL 900

**NEMRUT**

WHITE

BLACK

■ 220-240V / 50-60Hz  
■ Max. 60W




070 002 0060  
HL 901

**TOROS**

WHITE

BLACK

■ 220-240V / 50-60Hz  
■ Max. 60W




070 003 0060  
HL 902

**ZİRVE**

WHITE

BLACK

■ 220-240V / 50-60Hz  
■ Max. 60W



## Aluminium Bulkhead Lamp / LED Bulkhead Lamp



070 004 0060  
HL 903


**DORUK**

WHITE

BLACK

GREY

■ 220-240V / 50-60Hz  
■ Max. 60W




070 005 0060  
HL 905

**ZİGANA**

WHITE

BLACK

■ 220-240V / 50-60Hz  
■ Max. 60W




070 006 0060  
HL 906

**ARARAT**

WHITE

BLACK

■ 220-240V / 50-60Hz  
■ Max. 60W




070 007 0060  
HL 907

**ALP**

WHITE

BLACK

■ 220-240V / 50-60Hz  
■ Max. 60W



070 008 0040


HL 908

**EVEREST**

WHITE

BLACK

■ 220-240V / 50-60Hz  
■ Max. 40W



070 009 0060


HL 909

**HİMALAYA**

WHITE

BLACK

■ 220-240V / 50-60Hz  
■ Max. 60W



070 010 0060


HL 910

**HAZAR**

WHITE

BLACK

■ 220-240V / 50-60Hz  
■ Max. 60W



070 011 0060


HL 911

**KARPAT**

WHITE

BLACK

■ 220-240V / 50-60Hz  
■ Max. 60W



070 012 0100


HL 920

**AYDER**

WHITE

BLACK

■ 220-240V / 50-60Hz  
■ Max. 100W



070 013 0100


HL 921

**KAÇKAR**

WHITE

BLACK

■ 220-240V / 50-60Hz  
■ Max. 100W



070 014 0100


HL 925

**MUNZUR**

WHITE

BLACK

■ 220-240V / 50-60Hz  
■ Max. 100W



070 015 0100


HL 926

**ERCIYES**

WHITE

BLACK

■ 220-240V / 50-60Hz  
■ Max. 100W



**071 009 0008** **YILDIZ-8** **WHITE**

**NEW**

- 100-240V / 50-60Hz
- Plastic Body
- Average Life: 30.000 Hrs
- 8W
- 560 lm
- 4200K





**071 009 0015** **YILDIZ-15** **WHITE**

**NEW**

- 100-240V / 50-60Hz
- Plastic Body
- Average Life: 30.000 Hrs
- 15W
- 1080 lm
- 4200K






**ANT** **BLACK**

**071 004 0006**

- 170-260V / 50-60Hz
- Aluminium Body
- Average Life: 35.000 Hrs
- 6W
- 300 lm
- 4000K





**KAFKAS** **BLACK**

**071 006 0008**

- 170-260V / 50-60Hz
- Aluminium Body
- Average Life: 35.000 Hrs
- 8W
- 420 lm
- 4000K





**ALTAY** **BLACK**

**071 008 0012**

- 170-260V / 50-60Hz
- Aluminium Body
- Average Life: 35.000 Hrs
- 12W
- 670 lm
- 4000K





**RAMAN** **BLACK**

**071 003 0006**

- 170-260V / 50-60Hz
- Aluminium Body
- Average Life: 35.000 Hrs
- 6W
- 400 lm
- 4000K





**SUPHAN** **BLACK**

**071 005 0008**

- 170-260V / 50-60Hz
- Aluminium Body
- Average Life: 35.000 Hrs
- 8W
- 515 lm
- 4000K





**NUR** **BLACK**

**071 007 0012**

- 170-260V / 50-60Hz
- Aluminium Body
- Average Life: 35.000 Hrs
- 12W
- 855 lm
- 4000K







**HOROZ ELECTRIC**

# Street Light / LED Street Light


073 001 0125

## VATAN-125

HL 191

**DARK GREY**

- 220-240V / 50-60Hz
- Max. 125W




073 001 0250

## VATAN-250

HL 192

**DARK GREY**

- 220-240V / 50-60Hz
- Max. 250W



**HOROZ ELECTRIC**

# Street Light LED Street Light




073 002 0060

## WALL STREET

HL 190

**WHITE**

- 220-240V / 50-60Hz
- Max. 60W
- Max. 20W ESL





074 001 0030

## ARBAT

HL 193L

**SILVER**

- 220-240V / 50-60Hz
- 6400K
- 1x30W
- 1837 lm
- Average Life: 30.000 Hrs



STREET LIGHT / LED STREET LIGHT



074 005 0020 **ORLANDO-20** **BLACK**

**NEW**

- 85-265V / 50-60Hz
- 4200K
- 20W
- 1726 lm
- Average Life: 30.000 Hrs

IP65




20W SMD LED

2700K 4200K 4800K

315 mm 105 mm

074 005 0030 **ORLANDO-30** **BLACK**

**NEW**

- 85-265V / 50-60Hz
- 4200K
- 30W
- 2042 lm
- Average Life: 30.000 Hrs

IP65




30W SMD LED

2700K 4200K 4800K

355 mm 105 mm

074 005 0050 **ORLANDO-50** **BLACK**

**NEW**

- 85-265V / 50-60Hz
- 4200K
- 50W
- 4953 lm
- Average Life: 30.000 Hrs

IP65




50W SMD LED

2700K 4200K 4800K

495 mm 105 mm

074 005 0100 **ORLANDO-100** **BLACK**

**NEW**

- 85-265V / 50-60Hz
- 4200K
- 100W
- 8923 lm
- Average Life: 30.000 Hrs

IP65




100W SMD LED

2700K 4200K 4800K

620 mm 220 mm






074 004 0030

## BROADWAY-30

DARK GREY

- 100-240V / 50-60Hz
- 4200K
- 1x30W
- 3150 lm
- Average Life: 50.000 Hrs




074 004 0050

## BROADWAY-50

DARK GREY

- 100-265V / 50-60Hz
- 4200K
- 1x50W
- 5250 lm
- Average Life: 50.000 Hrs




074 004 0100

## BROADWAY-100

DARK GREY

- 100-265V / 50-60Hz
- 4200K
- 2x50W
- 10500 lm
- Average Life: 50.000 Hrs




074 004 0150

## BROADWAY-150

DARK GREY

- 100-265V / 50-60Hz
- 4200K
- 3x50W
- 15750 lm
- Average Life: 50.000 Hrs




074 004 0200

## BROADWAY-200

DARK GREY

- 100-240V / 50-60Hz
- 4200K
- 4x50W
- 21000 lm
- Average Life: 50.000 Hrs






075 002 0001

HL 200

**LADiN-1**

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max. 60W




075 002 0002

HL 201

**LADiN-2**

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max. 60W



**Garden Lamp  
LED Garden Lamp**



GARDEN LAMP / LED GARDEN LAMP




075 002 0004

HL 203

**LADiN-4**

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max. 60W




**LADiN-3**

075 002 0003

HL 202



- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max. 60W








### KAYIN-1

075 003 0001

HL 205



- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max. 60W



### KAYIN-2

075 003 0002

HL 206



- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max. 60W




GARDEN LAMP / LED GARDEN LAMP

### KAYIN-3

075 003 0003

HL 208



- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max. 60W



### KAYIN-4

075 003 0004

HL 209



- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max. 60W






075 001 0001  
HL 295

## PALMIYE-1

BLACK

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max. 100W




075 001 0002  
HL 296

## PALMIYE-2

BLACK

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max. 100W



GARDEN LAMP / LED GARDEN LAMP

075 001 0004  
HL 298

## PALMIYE-4

BLACK

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max. 100W




075 001 0003  
HL 297

## PALMIYE-3

BLACK

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max. 100W





### BAMBU-2

**MAT CHROME**

076 016 0002

- 220-240V / 50-60Hz
- 9W
- 4000K
- 684 lm
- Average Life: 25.000 Hrs

**NEW**

IP44



### BAMBU-1

**MAT CHROME**

076 016 0001

- 220-240V / 50-60Hz
- 9W
- 4000K
- 684 lm
- Average Life: 25.000 Hrs

**NEW**

IP44



### BAMBU-5

**MAT CHROME**

076 016 0005

- 220-240V / 50-60Hz
- 9W
- 4000K
- 684 lm
- Average Life: 25.000 Hrs

**NEW**




### BAMBU-3

**MAT CHROME**

076 016 0003

- 220-240V / 50-60Hz
- 9W
- 4000K
- 684 lm
- Average Life: 25.000 Hrs

**NEW**





### BAMBU-4

**MAT CHROME**

076 016 0004

- 220-240V / 50-60Hz
- 9W
- 4000K
- 684 lm
- Average Life: 25.000 Hrs

**NEW**



GARDEN LAMP / LED GARDEN LAMP




## MiMOZA-1

**MAT CHROME**

076 002 0001

HL 210L

- Stainless Steel
- 220-240V / 50-60Hz
- 5.5 W
- 6400K
- 186 lm
- Average Life: 30.000 Hrs




## MiMOZA-2

**MAT CHROME**

076 002 0002

HL 211L

- Stainless Steel
- 220-240V / 50-60Hz
- 5.5 W
- 6400K
- 186 lm
- Average Life: 30.000 Hrs




## MiMOZA-3

**MAT CHROME**

076 002 0003

HL 212L

- Stainless Steel
- 220-240V / 50-60Hz
- 5.5 W
- 6400K
- 186 lm
- Average Life: 30.000 Hrs




## MiMOZA-6

**MAT CHROME**

076 002 0006

HL 215L

- Stainless Steel
- 220-240V / 50-60Hz
- 5.5 W
- 6400K
- 186 lm
- Average Life: 30.000 Hrs




## MiMOZA-4

**MAT CHROME**

076 002 0004

HL 213L

- Stainless Steel
- 220-240V / 50-60Hz
- 5.5 W
- 6400K
- 186 lm
- Average Life: 30.000 Hrs




## MiMOZA-5

**MAT CHROME**

076 002 0005

HL 214L

- Stainless Steel
- 220-240V / 50-60Hz
- 5.5 W
- 6400K
- 186 lm
- Average Life: 30.000 Hrs



GARDEN LAMP / LED GARDEN LAMP






### DEFNE-1

075 004 0001

HL 230



- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: PC
- Max. 60W




### DEFNE-2

075 004 0002

HL 232



- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: PC
- Max. 60W



### DEFNE-5

075 004 0005

HL 235



- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: PC
- Max. 60W


### DEFNE-3

075 004 0003

HL 233



- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: PC
- Max. 60W





### DEFNE-4

075 004 0004

HL 234



- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: PC
- Max. 60W





075 006 0001

HL 240

## AKASYA-1

- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: Glass
- Max. 60W



075 006 0002

HL 242

## AKASYA-2

- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: Glass
- Max. 60W




075 006 0005

HL 245

## AKASYA-5

- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: Glass
- Max. 60W




075 006 0006

HL 245P

## AKASYA-6

- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: Glass
- Max. 3x60W



2100mm

075 006 0003

HL 243

## AKASYA-3

- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: Glass
- Max. 60W




075 006 0004

HL 244

## AKASYA-4

- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: Glass
- Max. 60W



GARDEN LAMP / LED GARDEN LAMP

**LEYLAK-1**

075 013 0001

HL 275

**ANTIQUERED COPPER****BLACK****WHITE**

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max. 60W

**ERGUVAN-1**

075 012 0001

HL 270

**ANTIQUERED COPPER****BLACK****WHITE**

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max. 60W

**LEYLAK-2**

075 013 0002

HL 276

**ANTIQUERED COPPER****BLACK****WHITE**

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max. 60W

**ERGUVAN-2**

075 012 0002

HL 271

**ANTIQUERED COPPER****BLACK****WHITE**

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max. 60W


**LEYLAK-3**

075 013 0003

HL 277

**ANTIQUERED COPPER****BLACK****WHITE**

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max. 60W





075 012 0003

HL 272

**ERGUVAN-3**

ANTIQUE RED COPPER

BLACK

WHITE



- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max. 60W




075 012 0004

HL 270M

**ERGUVAN-4**

BLACK

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max. 60W




075 012 0005

HL 270P

**ERGUVAN-5**

BLACK

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max. 3x60W



2100 mm

500 mm

075 012 0006

HL 273P

**ERGUVAN-6**

BLACK

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max. 60W



2100 mm

200 mm






075 009 0001

**MANGO-1**

HL 237



- 220-240V / 50-60Hz
- Stainless Steel Body+PC
- Max. 75W




075 009 0002

**MANGO-2**

HL 238



- 220-240V / 50-60Hz
- Stainless Steel Body+PC
- Max. 75W




075 009 0003

**MANGO-3**

HL 239



- 220-240V / 50-60Hz
- Stainless Steel Body+PC
- Max. 75W



GARDEN LAMP / LED GARDEN LAMP






075 010 0001  
HL 246

### GARDENYA-1

- 220-240V / 50-60Hz
- Stainless Steel Body+PC
- Max. 35W




Bulb Included

075 010 0002  
HL 247

### GARDENYA-2

- 220-240V / 50-60Hz
- Stainless Steel Body+PC
- Max. 2x35W




Bulb Included

075 010 0003  
HL 248

### GARDENYA-3

- 220-240V / 50-60Hz
- Stainless Steel Body+PC
- Max. 35W




Bulb Included

075 010 0004  
HL 249

### GARDENYA-4

- 220-240V / 50-60Hz
- Stainless Steel Body+PC
- Max. 2x35W




Bulb Included

075 008 0001  
HL 265

### MANOLYA-1

- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: Glass
- Max. 35W




Bulb Included

075 008 0002  
HL 266

### MANOLYA-2

- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: Glass
- Max. 2x35W




Bulb Included

075 008 0003  
HL 267

### MANOLYA-3

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max. 2x60W





### BADEM

**DARK GREY**

076 028 0012

- 100-240V / 50-60Hz
- 12W
- 4200K
- 480 lm
- Average Life: 30.000 Hrs

**NEW**





### SUSAM

**DARK GREY**

076 030 0012

- 100-240V / 50-60Hz
- 12W
- 4200K
- 480 lm
- Average Life: 30.000 Hrs

**NEW**



### ILGIN

**DARK GREY**

076 029 0012

- 100-240V / 50-60Hz
- 12W
- 4200K
- 480 lm
- Average Life: 30.000 Hrs

**NEW**



GARDEN LAMP / LED GARDEN LAMP

**HURMA**

076 010 0005

**DARK GREY**

- 100-240V / 50-60Hz
- 5W
- 4200K
- 270 lm
- Average Life: 30.000 Hrs

**IHLAMUR**

076 013 0002

**DARK GREY**


- 100-240V / 50-60Hz
- 2W
- 4200K
- 65 lm
- Average Life: 30.000 Hrs

**MERSİN**

076 011 0005

**DARK GREY**



- 100-240V / 50-60Hz
- 5W
- 4200K
- 270 lm
- Average Life: 30.000 Hrs

**İĞDE**

076 014 0002

**DARK GREY**


- 100-240V / 50-60Hz
- 2W
- 4200K
- 65 lm
- Average Life: 30.000 Hrs

**GÜRGEN**

076 012 0005

**DARK GREY**


- 100-240V / 50-60Hz
- 5W
- 4200K
- 270 lm
- Average Life: 30.000 Hrs

**İNCİR**

076 015 0002

**DARK GREY**


- 100-240V / 50-60Hz
- 2W
- 4200K
- 110 lm
- Average Life: 30.000 Hrs





### SERVİ

076 009 0012



BLACK

WHITE

- 100-240V / 50-60Hz
- 12W
- 4200K
- 750 lm
- Average Life: 30.000 Hrs




### ARDIÇ

076 003 0006

HL 237L

BLACK

- Aluminium Body
- 220-240V / 50-60Hz
- 5.5W
- 4100K
- 385 lm
- Average Life: 30.000 Hrs




### SELVİ

076 007 0004

HL 241L

BLACK

- Aluminium Body
- 220-240V / 50-60Hz
- 3.5W
- 4100K
- 35 lm
- Average Life: 30.000 Hrs




### MEŞE

076 004 0006

HL 238L

BLACK

- Aluminium Body
- 220-240V / 50-60Hz
- 5.5W
- 4100K
- 420 lm
- Average Life: 30.000 Hrs




### SALKIM

076 008 0004

HL 242L

BLACK

- Aluminium Body
- 220-240V / 50-60Hz
- 3.5W
- 4100K
- 65 lm
- Average Life: 30.000 Hrs



### TAFLAN

076 006 0006

HL 240L

BLACK

- Aluminium Body
- 220-240V / 50-60Hz
- 5.5W
- 4100K
- 200 lm
- Average Life: 30.000 Hrs




### ZAKKUM

076 005 0003

HL 239L

BLACK

- Aluminium Body
- 220-240V / 50-60Hz
- 3W
- 4100K
- 230 lm
- Average Life: 30.000 Hrs



### SAFRAN-5


076 001 0005

HL 281L

BLACK

WHITE

- 220-240V / 50-60Hz
- 5W
- 6400K / GREEN
- 409 lm
- Average Life: 30.000 Hrs



### SAFRAN-16


076 001 0016

HL 282L

BLACK

WHITE

- 220-240V / 50-60Hz
- 16W
- 6400K / GREEN
- 1229 lm
- Average Life: 30.000 Hrs






### CRYSTAL

078 009 0001



- NI-MH AA 100 mAh 1.2V
- 6400K
- 0.06W
- 1.5 lm
- Average Life: 100.000 Hrs




### VENÜS

078 001 0001



- NI-MH AA 200 mAh 1.2V
- 6400K
- 0.06W
- 1.5 lm
- Average Life: 100.000 Hrs



## LED Solar Lamp




LED SOLAR LAMP

### MARS

078 002 0001



- NI-MH AA 200 mAh 1.2V
- 6400K
- 0.06W
- 1.5 lm
- Average Life: 100.000 Hrs




### LOTUS

078 011 0001



- NI-MH AA 200 mAh 1.2V
- 6400K
- 0.06W
- 1.5 lm
- Average Life: 100.000 Hrs




### ORBIT

078 010 0001



- NI-MH AA 200 mAh 1.2V
- 6400K
- 3x0.06W
- 1.5 lm
- Average Life: 100.000 Hrs





### PLUTON

078 005 0001



- NI-MH AA 100 mAh 1.2V
- 6400K
- 0.06W
- 1.5 lm
- Average Life: 100.000 Hrs




### NEPTUN

078 004 0001



- NI-MH AA 100 mAh 1.2V
- 6400K
- 0.06W
- 1.5 lm
- Average Life: 100.000 Hrs




### HALLEY

078 006 0001



- NI-MH AA 100 mAh 1.2V
- 6400K
- 0.06W
- 1.5 lm
- Average Life: 100.000 Hrs




LED SOLAR LAMP

078 008 0001

### WIZARD

WITH PIR SENSOR




- 3 NI-MH 600 mAh 1.2V
- 6400K
- 2W
- 150 lm
- Average Life: 50.000 Hrs



078 007 0001

### MAGIC

- 3 NI-MH AA 100 mAh 1.2V
- 6400K
- 9x0.06W
- 9x1.5 lm
- Average Life: 100.000 Hrs




**HOROZ ELECTRIC**

# Inground & Recessed Type LED Lamp

**RUBY**


079 028 0002

**WHITE**

- 110-265V / 50-60Hz
- 2W, 100 lm
- 4000K
- With Microwave Sensor
- Average Life: 30.000 Hrs

**QUARTZ**

079 027 0002

**WHITE**

- 110-265V / 50-60Hz
- 2W, 100 lm
- 4000K
- With Microwave Sensor
- Average Life: 30.000 Hrs




INGROUND &amp; RECESSED TYPE LED LAMP

**HOROZ ELECTRIC**

# Inground & Recessed Type LED Lamp

**DIAMOND**

079 026 0002

**WHITE****BLACK****GOLD****SILVER**


- 110-265V / 50-60Hz
- 2W, 150 lm
- 4200K
- With Microwave Sensor
- Average Life: 30.000 Hrs

**GOLD**

079 025 0003

**WHITE**

- 220-240V / 50-60Hz
- 3W, 240 lm
- 4200K
- With PIR Sensor
- Average Life: 30.000 Hrs







079 001 0003


HL 957L

### ZÜMRÜT

WHITE

MAT CHROME

- 220-240V / 50-60Hz
- 1x3W, 86 lm
- 4000K
- Average Life: 30.000 Hrs



079 002 0003


HL 958L

### YAKUT

WHITE

MAT CHROME

- 220-240V / 50-60Hz
- 1x3W, 86 lm
- 4000K
- Average Life: 30.000 Hrs




079 004 0002

HL 941L

### inci

- 220-240V / 50-60Hz
- 1.2W, 75 lm
- Average Life: 50.000 Hrs




079 003 0002

HL 940L

### SAFİR

- 220-240V / 50-60Hz
- 1.2W, 75 lm
- Average Life: 50.000 Hrs




079 005 0002

HL 945L

### ELMAS

WHITE

- 220-240V / 50-60Hz
- 1.8W, 98 lm
- Average Life: 50.000 Hrs






079 006 0002  
HL 931L

## KUVARS


- 220-240V / 50-60Hz
- 1.5W, 90 lm
- Average Life: 50.000 Hrs



079 009 0002  
HL 934L

## KORNET


- 220-240V / 50-60Hz
- 1.5W, 90 lm
- Average Life: 50.000 Hrs



079 007 0002  
HL 932L

## KALSIT


- 220-240V / 50-60Hz
- 1.8W, 105 lm
- Average Life: 50.000 Hrs



079 010 0002  
HL 935L

## GRANİT


- 220-240V / 50-60Hz
- 1.8W, 105 lm
- Average Life: 50.000 Hrs



079 008 0003  
HL 933L

## OPAL


- 220-240V / 50-60Hz
- 2.7W, 160 lm
- Average Life: 50.000 Hrs



079 011 0003  
HL 936L

## PIRLANTA

- 220-240V / 50-60Hz
- 2.7W, 160 lm
- Average Life: 50.000 Hrs







079 012 0002

HL 942L

### MERCAN

- 220-240V / 50-60Hz
- Aluminium + Stainless Steel, PCB Board
- 1.6W, 90 lm
- Average Life: 50.000 Hrs




079 015 0002

HL 946L

### SEDEF

- 220-240V / 50-60Hz
- Aluminium + Stainless Steel, PCB Board
- 1.6W, 90 lm
- Average Life: 50.000 Hrs





079 013 0002

HL 943L

### AKIK

- 220-240V / 50-60Hz
- Aluminium + Stainless Steel, PCB Board
- 1.6W, 90 lm
- Average Life: 50.000 Hrs




079 016 0002

HL 947L

### OLTU

- 220-240V / 50-60Hz
- Aluminium + Stainless Steel, PCB Board
- 1.6W, 90 lm
- Average Life: 50.000 Hrs





079 014 0002

HL 944L

### ONIKS

- 220-240V / 50-60Hz
- Aluminium + Stainless Steel, PCB Board
- 1.6W, 90 lm
- Average Life: 50.000 Hrs





079 017 0002

HL 948L

### BERİL

- 220-240V / 50-60Hz
- Aluminium + Stainless Steel, PCB Board
- 1.6W, 90 lm
- Average Life: 50.000 Hrs







079 018 0001

HL 951L

**GÜMÜŞ**

- 220-240V / 50-60Hz
- Aluminium + Stainless Steel, PCB Board
- 0.9W, 57 lm
- Average Life: 50.000 Hrs





079 021 0002

HL 954L

**PERLE**

- 220-240V / 50-60Hz
- Aluminium + Stainless Steel, PCB Board
- 1.2W, 72 lm
- Average Life: 50.000 Hrs




079 019 0001

HL 952L

**BRONZ**

- 220-240V / 50-60Hz
- Aluminium + Stainless Steel, PCB Board
- 0.9W, 57 lm
- Average Life: 50.000 Hrs




079 022 0002

HL 955L

**AMBER**

- 220-240V / 50-60Hz
- Aluminium + Stainless Steel, PCB Board
- 1.2W, 72 lm
- Average Life: 50.000 Hrs




079 020 0001

HL 953L

**BOR**

- 220-240V / 50-60Hz
- Aluminium + Stainless Steel, PCB Board
- 0.9W, 57 lm
- Average Life: 50.000 Hrs




079 023 0002

HL 956L

**PERA**

- 220-240V / 50-60Hz
- Aluminium + Stainless Steel, PCB Board
- 1.2W, 72 lm
- Average Life: 50.000 Hrs





## MONTANA

080 001 0004

- Operation Voltage: 4.5V DC
- Power: 4W / 10 m
- Average Life: 30.000 Hrs
- Standart Length: 1m / 10 LED
- Package: 10 m / Roll



**NEW**



3000K

4200K

6400K

Red

Green

Blue

RGB



LED CHRISTMAS LIGHT & DRIVERS



## MONTANA-D4

080 001 0001

- Operation Voltage: 100-240V / 50-60Hz
- Power: 16W / 40 m

**NEW**



## MONTANA-D10

080 001 0002

- Operation Voltage: 100-240V / 50-60Hz
- Power: 40W / 100 m

**NEW**





# HORUZ ELECTRIC


## LED Strip / Waterproof Neon LED Strip / LED Ropelight / RGB Controller RGB Amplifier / LED Driver / Waterproof LED Driver

LED STRIP / WATERPROOF NEON LED STRIP / LED ROPELIGHT / RGB CONTROLLER / RGB AMPLIFIER / LED DRIVER / WATERPROOF LED DRIVER



220-240V

NEW



SINGLE CHIP

WATERPROOF

- Operation Voltage: 220-240V / 50-60Hz
- Power: 9W/m
- 55.000 lm, per 164ft reel
- Average Life: 30.000 Hrs
- Standart Length: 1m / 180 LED
- LED Type: 28x35 SMD
- LED View Angle: 120
- Package: 50 m / Roll
- 5 accessories



**GANJ**


**GANJ/RGB**

081 009 0001

081 009 0002



Can be cut each 1 meter




# HORUZ ELECTRIC

## LED Strip LED Driver Waterproof LED Driver RGB Controller LED Ropelight RGB Amplifier



220-240V



SINGLE CHIP

WATERPROOF

- Operation Voltage: 220-240V / 50-60Hz
- Power: 8W/m
- 50.000 lm, per 164ft reel
- Average Life: 30.000 Hrs
- Standart Length: 1m / 180 LED
- LED Type: 28x35 SMD
- LED View Angle: 120
- Package: 50 m / Roll
- 5 accessories



**COLORADO**


**COLORADO/RGB**

081 006 0001


081 006 0002



Can be cut each 1 meter



220-240V



THREE CHIPS

WATERPROOF

- Operation Voltage: 220-240V / 50-60Hz
- Power: 10W/m
- 30.000 lm, per 164ft reel
- Average Life: 30.000 Hrs
- Standart Length: 1m / 60 LED
- LED Type: 50x50 SMD
- LED View Angle: 120
- Package: 50 m / Roll
- 5 accessories



**VOLGA**

**VOLGA/RGB**

081 004 0001

HL 543L

081 004 0002



Can be cut each 1 meter






3 LEDs make a group and each group can be cut or extended in terms of the length of application

### REN REN/RGB

HL 540L 081 001 0001

RGB 081 001 0002

SINGLE CHIP



#### WATERPROOF

- Operation Voltage: 12V DC
- Input Current: 2A (1 Roll/5m)
- Power: 24W (1 Roll/5m)
- 1.440 lm, per 16ft reel
- Average Life: 30.000 Hrs
- Standart Length: 1m / 60 LED
- LED Type: 35x28 SMD
- LED View Angle: 120
- Package: 5 m / Roll
- PCB Color: White
- With 3M Self-adhesive backing for easy installation




3 LEDs make a group and each group can be cut or extended in terms of the length of application

### NİL NİL/RGB

HL 541L 081 002 0001

HL 541L 081 002 0002

SINGLE CHIP



#### NON WATERPROOF

- Operation Voltage: 12V DC
- Input Current: 2A (1 Roll/5m)
- Power: 24W (1 Roll/5m)
- 1.440 lm, per 16ft reel
- Average Life: 30.000 Hrs
- Standart Length: 1m / 60 LED
- LED Type: 35x28 SMD
- LED View Angle: 120
- Package: 5 m / Roll
- PCB Color: White
- With 3M Self-adhesive backing for easy installation




3 LEDs make a group and each group can be cut or extended in terms of the length of application

### THAMES THAMES/RGB

HL 542L 081 003 0001

RGB 081 003 0002

THREE CHIPS



#### WATERPROOF

- Operation Voltage: 12V DC
- Input Current: 6A (1 Roll/5m)
- Power: 72W (1 Roll/5m)
- 4.320 lm, per 16ft reel
- Average Life: 30.000 Hrs
- Standart Length: 1m / 60 LED
- LED Type: 50x50 SMD
- LED View Angle: 120
- Package: 5 m / Roll
- PCB Color: White
- With 3M Self-adhesive backing for easy installation




3 LEDs make a group and each group can be cut or extended in terms of the length of application

### AMAZON AMAZON/RGB

HL 542LN 081 005 0001

RGB 081 005 0002

THREE CHIPS




#### NON WATERPROOF

- Operation Voltage: 12V DC
- Input Current: 6A (1 Roll/5m)
- Power: 72W (1 Roll/5m)
- 4.320 lm, per 16ft reel
- Average Life: 30.000 Hrs
- Standart Length: 1m / 60 LED
- LED Type: 50x50 SMD
- LED View Angle: 120
- Package: 5 m / Roll
- PCB Color: White
- With 3M Self-adhesive backing for easy installation



## Waterproof Neon LED Strip




**NEOLED**



**NEW**

**220-240V**



**WATERPROOF**

081 010 0001


- Operation Voltage: 220-240V
- Input Current: 6A (1 Roll/100m)
- Power: 5.5W (1m)
- 80000 Lm / per 328ft. reel
- Average Life: 30.000 Hrs
- Standart Length: 1m / 144 LED
- LED Type: 28x35 SMD
- LED View Angle: 120
- Package: 100m / Roll



LED STRIP / WATERPROOF NEON LED STRIP / LED ROPELIGHT / RGB CONTROLLER / RGB AMPLIFIER / LED DRIVER / WATERPROOF LED DRIVER



## LED Ropelight



**LED ROPELIGHT**

099 001 0001



**2 LINE**

**100m ROLL**

**13 mm**

**1.8 watt/meter**

**30 bulb/meter**

**10 accessories**

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs






100 001 0072

RGB Controller 2A

- DC 12V - 24V
- Output Voltage: DC 12V - 24V
- Output Power: 72W
- Output Current: 2A/Each Color




For Max. 15m 35x28 SMD LED Strip  
 For Max. 5m 50x50 SMD LED Strip



100 002 0144

RGB Controller 4A

- DC 12V - 24V
- Output Voltage: DC 12V - 24V
- Output Power: 144W
- Output Current: 4A/Each Color



For Max. 30m 35x28 SMD LED Strip

For Max. 10m 50x50 SMD LED Strip




RGB Amplifier 12A

AMPLIFIER-12A

101 001 0144

- Input Voltage: DC 12V - 24V
- Output Voltage: DC 12V - 24V
- Output Power: 144W
- Output Current: 4A/Each Color
- 50x50 RGB Led Strips  
10 Meters with 60Leds/Meter,  
35x28 RGB Led Strips  
30 Meters with 60Leds/Meter





RGB Amplifier 24A

AMPLIFIER-24A

101 001 0288

- Input Voltage: DC 12V - 24V
- Output Voltage: DC 12V - 24V
- Output Power: 288W
- Output Current: 8A/Each Color
- 50x50 RGB Led Strips  
20 Meters with 60Leds/Meter,  
35x28 RGB Led Strips  
60 Meters with 60Leds/Meter




**VEGA-10**

082 001 0010

HL 544



- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 10W
- Output Current: 0,8A
- For 2m 35x28 SMD LED Strip
- For 1m 50x50 SMD LED Strip


**VEGA-36**

082 001 0036

HL 545



- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 36W
- Output Current: 3A
- For 5m 35x28 SMD LED Strip
- For 1.5m 50x50 SMD LED Strip


**VEGA-60**

082 001 0060

HL 546




- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 60W
- Output Current: 5A
- For 10m 35x28 SMD LED Strip
- For 4m 50x50 SMD LED Strip

**VEGA-100**

082 001 0100



- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 100W
- Output Current: 8.5A
- For 20m 35x28 SMD LED Strip
- For 6.5m 50x50 SMD LED Strip


**VEGA-150**

082 001 0150

HL 548



- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 150W
- Output Current: 12A
- For 30m 35x28 SMD LED Strip
- For 10m 50x50 SMD LED Strip


**VEGA-200**

082 001 0200

HL 549




- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 200W
- Output Current: 17A
- For 40m 35x28 SMD LED Strip
- For 13m 50x50 SMD LED Strip

**VEGA-250**

082 001 0250




- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 250W
- Output Current: 20.8A
- For 50m 35x28 SMD LED Strip
- For 17m 50x50 SMD LED Strip

**VEGA-360**

082 001 0360



- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 360W
- Output Current: 30A
- For 70m 35x28 SMD LED Strip
- For 24m 50x50 SMD LED Strip






083 001 0018

### VESTA-18

**WATERPROOF**

- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 18W
- Output Current: 1.5 A
- For Max. 3.5m 35x28 SMD Led Strip
- For Max. 1.2m 50x50 SMD Led Strip



083 001 0025

### VESTA-25

**WATERPROOF**

- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 25W
- Output Current: 2A
- For Max. 5m 35x28 SMD Led Strip
- For Max. 1.7m 50x50 SMD Led Strip



083 001 0045

### VESTA-45

**WATERPROOF**

- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 45W
- Output Current: 3.75 A



- For Max. 8m 35x28 SMD Led Strip
- For Max. 2.5m 50x50 SMD Led Strip



083 001 0060


### VESTA-60

**WATERPROOF**

- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 60W



- Output Current: 5A
- For Max. 12m 35x28 SMD Led Strip
- For Max. 4m 50x50 SMD Led Strip




083 001 0100

### VESTA-100

**WATERPROOF**

- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 100W
- Output Current: 8.5 A
- For Max. 20m 35x28 SMD Led Strip
- For Max. 6.5m 50x50 SMD Led Strip



083 001 0150

### VESTA-150

**WATERPROOF**

- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 150W
- Output Current: 12.5A
- For Max. 30m 35x28 SMD Led Strip
- For Max. 10m 50x50 SMD Led Strip





083 001 0200

### VESTA-200

**WATERPROOF**

- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 200W
- Output Current: 17A
- For Max. 40m 35x28 SMD Led Strip
- For Max. 13m 50x50 SMD Led Strip






## Rechargeable LED Solar Camping Light / Emergency LED Lantern / LED Headlight




084 022 0010

**ROMARIO**
**RECHARGEABLE**
**SOLAR**


- 220-240V / 50-60Hz
- 10W, 360 lm
- 4V 1600mAh Rechargeable Sealed-Acid Battery
- Duration: 1 hour / strong light  
25 hours / weak light
- Average Life: 30.000 Hrs




084 024 0001

**BEST-1**
**RECHARGEABLE**
**LED TORCH**


- 220-240V / 50-60Hz
- 1W, 70 lm
- 4V 0.4Ah Rechargeable Sealed-Acid Battery
- Duration: 1 hour / strong light  
4 hours / weak light
- Average Life: 30.000 Hrs




084 024 0003

**BEST-3**
**RECHARGEABLE**
**LED TORCH**


- 220-240V / 50-60Hz
- 3W, 120 lm
- 4V 0.9Ah Rechargeable Sealed-Acid Battery
- Duration: 1 hour / strong light  
4 hours / weak light
- Average Life: 30.000 Hrs



084 024 0005

**BEST-5**
**RECHARGEABLE**
**LED TORCH**


- 220-240V / 50-60Hz
- 5W, 210 lm
- 4V 1.6Ah Rechargeable Sealed-Acid Battery
- Duration: 1 hour / strong light  
4 hours / weak light
- Average Life: 30.000 Hrs





084 003 0001


### MARADONA-1

HL 336L

RECHARGEABLE

LED TORCH

- 220-240V / 50-60Hz
- 5W, 350 lm
- 4V 3Ah Rechargeable Sealed-Acid Battery
- Duration Time: 2 hours/strong light 8 hours/weak light
- Average Life: 30.000 Hrs



084 003 0002


### MARADONA-2

HL 337L

RECHARGEABLE

LED TORCH

- 220-240V / 50-60Hz
- 5W, 350 lm
- 4V 6Ah Rechargeable Sealed-Acid Battery
- Duration Time: 4 hours/strong light 16 hours/weak light
- Average Life: 30.000 Hrs



### PUSKAS-2


084 005 0002

HL 332L

RECHARGEABLE

LED TORCH

- 220-240V / 50-60Hz
- 5x1500 MCD 110° Bright LED Torch
- 25 lm
- 4V 400mAh Rechargeable Sealed-Acid Battery
- Duration Time: 4 Hours
- Average Life: 30.000 Hrs



### PUSKAS-3


084 005 0003

HL 333L

RECHARGEABLE

LED TORCH

- 220-240V / 50-60Hz
- 9x1500 MCD 110° Bright LED Torch
- 45 lm
- 4V 0.9Ah Rechargeable Sealed-Acid Battery
- Duration Time: 5Hours
- Average Life: 30.000 Hrs



084 006 0001

### PELE-1


HL 3094L

ORANGE  
GREEN  
PURPLE  
DARK RED  
BLUE

RECHARGEABLE

LED LANTERN

- 220-240V / 50-60Hz
- 4x1500 MCD 110° Bright LED Torch
- 4V 400mAh Rechargeable Sealed-Acid Battery
- Duration Time: 4 Hours For Strong Light 16 Hours For Weak Light
- 4x0,1W, 20 lm
- 9.000-15.000K
- Average Life: 30.000 Hrs



084 006 0002

### PELE-2


HL 3097L

ORANGE  
GREEN  
PURPLE  
DARK RED  
BLUE

RECHARGEABLE

LED LANTERN

- 220-240V / 50-60Hz
- 7x1500 MCD 110° Bright LED Torch
- 4V 400mAh Rechargeable Sealed-Acid Battery
- Duration Time: 2,5 Hours For Strong Light 10 Hours For Weak Light
- 7x0,1W, 35 lm
- 9.000-15.000K
- Average Life: 30.000 Hrs



084 006 0003

## PELE-3


**RECHARGEABLE**
**LED LANTERN**

 ORANGE  
GREEN  
PURPLE  
DARK RED  
BLUE  
**HL 3099L**

- 220-240V / 50-60Hz
- 9x1500 MCD 110° Bright LED Torch
- 4V 900mAh Rechargeable Sealed-Acid Battery
- Duration Time:  
4 Hours For Strong Light  
16 Hours For Weak Light
- 9x0.1W, 45 lm
- 9,000-15,000K
- Average Life: 30,000 Hrs



1-OFF-2



084 007 0001

## BECKHAM-1

**RECHARGEABLE**
**LED HEADLIGHT**
**HL 341L**

- 220-240V / 50-60Hz
- 1W, 100 lm Bright Light
- 7000-9000K
- 4V 400mAh Rechargeable Sealed-Acid Battery
- Duration Time:  
1 Hrs (for strong light)  
4 Hrs (for weak light)
- Beam Distance: 20m
- Charging Time: 12-15 Hrs
- Average Life: 30,000 Hrs



1-OFF-2



084 007 0002


## BECKHAM-2

**RECHARGEABLE**
**LED HEADLIGHT**
**HL 347L**

- 220-240V / 50-60Hz
- 0,7W, 35 lm Bright Light
- 9000-15000K
- 4V 400mAh Rechargeable Sealed-Acid Battery
- Duration Time:  
2 Hrs (for strong light)  
8 Hrs (for weak light)
- Beam Distance: 10m
- Charging Time: 12-15 Hrs
- Average Life: 30,000 Hrs



1-OFF-2



084 007 0003

## BECKHAM-3

**RECHARGEABLE**
**LED HEADLIGHT**
**HL 343L**

- 220-240V / 50-60Hz
- 3W, 200 lm Bright Light
- 7000-9000K
- 4V 900mAh Rechargeable Sealed-Acid Battery
- Duration Time:  
1 Hr (for strong light)  
4 Hrs (for weak light)
- Beam Distance: 30m
- Charging Time: 12-15 Hrs
- Average Life: 30,000 Hrs



1-OFF-2



084 007 0004


## BECKHAM-4

**RECHARGEABLE**
**LED HEADLIGHT**
**HL 349L**

- 220-240V / 50-60Hz
- 0,9W, 45 lm Bright Light
- 9000-15000K
- 4V 900mAh Rechargeable Sealed-Acid Battery
- Duration Time:  
4 Hrs (for strong light)  
16 Hrs (for weak light)
- Beam Distance: 20m
- Charging Time: 12-15 Hrs
- Average Life: 30,000 Hrs



1-OFF-2





### WENGER

084 025 0012



**RECHARGEABLE**

**EMERGENCY**

**LANTERN**


- 220-240V / 50-60Hz
- 120 Pcs LED
- 560 lm
- 4V 3Ah Rechargeable Sealed-Acid Battery
- Duration Time: Step 1: 1 Hours Step 2: 2 Hours
- Average Life: 30.000 Hrs



### ZICO-4

084 012 0004

HL 313L



**RECHARGEABLE**

**LED LANTERN**


- 220-240V / 50-60Hz
- 30x1500 MCD 110° Bright LED Light
- 150 lm
- 1x4V 1.6Ah Rechargeable Sealed-Acid Battery
- Duration Time: Step 1: 10 Hours Step 2: 2 Hours
- Average Life: 30.000 Hrs



### ZICO-6

084 012 0006

HL 312L



**RECHARGEABLE**

**LED LANTERN**


- 220-240V / 50-60Hz
- 60x1500 MCD 110° Bright LED Light
- 360 lm
- 2x4V 1.6Ah Rechargeable Sealed-Acid Battery
- Duration Time: Step 1: 3 Hours Step 2: 1.5 Hours
- Average Life: 30.000 Hrs



### MALDINI-2

084 014 0002

HL 306L



**EMERGENCY EXIT**

**SAFETY EMERGENCY**

**LANTERN**


- 220-240V / 50-60Hz
- 26x1500 MCD 110° Bright LED Light
- 330 lm
- 2x4V 0.9Ah Rechargeable Sealed-Acid Battery
- Duration Time: 1.5 Hours
- Ceiling & Wall-Mounted Emergency & Automatic Light-Up
- Average Life: 30.000 Hrs



### MALDINI-3

084 014 0003

HL 308L



**EMERGENCY EXIT**

**SAFETY EMERGENCY**

**LANTERN**


- 220-240V / 50-60Hz
- 32x1500 MCD 110° Bright LED Light
- 410 lm
- 2x4V 0.9Ah Rechargeable Sealed-Acid Battery
- Duration Time: 1.5 Hours
- Ceiling & Wall-Mounted Emergency & Automatic Light-Up
- Average Life: 30.000 Hrs



### FIGO-6

084 013 0006

HL 306



**EMERGENCY EXIT**

**SAFETY EMERGENCY**

**LANTERN**


- 220-240V / 50-60Hz
- 1x 6W, 70 lm
- 2x4V 0.9Ah Rechargeable Sealed-Acid Battery
- Duration Time: 90 Minutes
- Ceiling & Wall-Mounted Emergency & Automatic Light-Up
- Average Life: 8.000 Hrs



### FIGO-8

084 013 0008

HL 308



**EMERGENCY EXIT**

**SAFETY EMERGENCY**

**LANTERN**

- 220-240V / 50-60Hz
- 1x 8W, 103 lm
- 2x4V 0.9Ah Rechargeable Sealed-Acid Battery
- Duration Time: 90 Minutes
- Ceiling & Wall-Mounted Emergency & Automatic Light-Up
- Average Life: 8.000 Hrs



RECHARGEABLE LED SOLAR CAMPING LIGHT / EMERGENCY LED LANTERN / LED HEADLIGHT



RECHARGEABLE LED SOLAR CAMPING LIGHT / EMERGENCY LED LANTERN / LED HEADLIGHT

## LINEKER

084 015 0003

HL 304L



2.5W LED

- RECHARGEABLE**
- LED DESK LAMP**
- 220-240V / 50-60Hz
- 25x1500 MCD 110° Bright LED Light
- 120 lm
- 6V 2Ah Rechargeable Sealed-Acid Battery
- Duration time For 24 LED: 10 hours For 1 LED: 100 hours
- Average Life: 30,000 Hrs



## ZIDANE

084 016 0003

HL 304LR



2.4W LED RADIO


- RECHARGEABLE**
- LED DESK LAMP**
- WITH RADIO**
- 220-240V / 50-60Hz
- 24x1500 MCD 110° Bright LED Light
- 120 lm
- 2x4V 900mAh Rechargeable Sealed-Acid Battery
- Duration time For 24 LED: 4 hours
- Radio: 3 hours
- Average Life: 30,000 Hrs



084 017 0003

## HAGI

HL 319LR



RADIO



2.7W LED

- RECHARGEABLE**
- LANTERN**
- WITH RADIO**
- 220-240V 50/60 Hz
- 24x1500 MCD 110° Bright LED Light
- 3x1500 MCD 110° Bright LED Torch
- 120 lm
- 6V 2.0Ah Rechargeable Sealed-Acid Battery
- Duration time For 24 LED: 12 hours For 3 LED: 24 hours For Radio: 8 hours
- Average Life: 30,000 Hrs

## MÜLLER

084 018 0001

HL 310L



1W LED

- RECHARGEABLE**
- LED LAMP**
- E27**
- 220-240V / 50-60Hz
- 10x1500 MCD 110° Bright LED Light
- 50 lm
- 4V 0.9Ah Rechargeable Sealed-Acid Battery
- Duration Time: 6 Hours
- Emergency & Automatic Light-Up
- AC / DC Operated
- Average Life: 30,000 Hrs




## ROBSON

084 020 0002 HL 330L



- EMERGENCY**
- EXIT & SAFETY**
- LED LAMP**
- 220-240V / 50-60Hz
- 100 lm
- 1.2V 350mAh Rechargeable Ni-Cd Battery
- Average Life: 20,000 Hrs
- Duration Time: 120 minutes




084 019 0001

## ZOFF

HL 3301L



- EXIT & SAFETY LAMP**
- LED LAMP**
- 220-240V / 50-60Hz
- 50 lm
- 1.2V 600mAh Rechargeable Ni-Cd Battery
- Average Life: 10,000 Hrs
- Duration Time: 90 minutes



1.5W LED

3W LED





085 001 0002

HL 991L

### REX




WHITE

BLUE

GREEN

RED

- 220-240V / 50-60Hz
- Each Led 2,3 lm
- Average Life: 20.000 Hrs



085 001 0003

HL 992L

### BUGS




WHITE

BLUE

GREEN

RED

- 220-240V / 50-60Hz
- Each Led 2,3 lm
- Average Life: 20.000 Hrs



## LED Night Lamp



LED NIGHT LAMP

085 001 0004

HL 993L

### MAX




WHITE

BLUE

GREEN

RED

- 220-240V / 50-60Hz
- Each Led 2,3 lm
- Average Life: 20.000 Hrs



085 001 0005

HL 994L

### DUFFY




WHITE

BLUE

GREEN

RED

- 220-240V / 50-60Hz
- Each Led 2,3 lm
- Average Life: 20.000 Hrs



085 001 0001

HL 990L

### DORA




WHITE

BLUE

GREEN

RED

- 220-240V / 50-60Hz
- Each Led 2,3 lm
- Average Life: 20.000 Hrs



085 001 0006

HL 981L


### SIMPSON



WHITE

(LANDSCAPE)

- 220-240V / 50-60Hz
- Each Led 2,3 lm
- Average Life: 20.000 Hrs




086 001 0001

**LORD**

HL 452

**Specification**

- Power Source: Emitter - 12V DC (Battery Included)
- Receiving: 3V/DC (2xAA1.5V)
- Working frequency: 315MHz
- Distance: 150m (open position)
- Sound level: 60 db max
- Sound type: 38 songs optional




086 001 0002

**SOLID**

HL 453

**Specification**

- Power Source: Emitter - 12V DC (Battery Included)
- Receiving: 4.5V/DC (3xAA1.5V)
- Working frequency: 315MHz
- Distance: 150m (open position)
- Sound level: 60 db max
- Sound type: 38 songs optional





086 001 0006

**SOLO**

HL 457

**Specification**

- 4.5V
- Work Voltage of the Emitter: 12V
- Work Frequency: 315 Mhz
- Remote Control: 120m (in open air)
- Sound Type: 38 Songs Optional




086 001 0004

**ALBA**

HL 455

**Specification**

- 4.5V
- Work Voltage of the Emitter: 12V
- Work Frequency: 315 Mhz
- Remote Control: 120m (in open air)
- Sound Type: 38 Songs Optional




086 001 0003

**HELIX**

HL 454

**Specification**

- Operation Voltage: 4.5V DC (3xAA1.5V) or 12V DC Adaptor
- Sensing Distance: 6 m
- Distance Range: 110'
- Sound level: 60 db max
- Sound type: Ding Dong, Hello, Welcome + Alarm
- USB Cable Included




086 001 0005

**VIOLA**

HL 456

**Specification**

- 4.5V
- Work Voltage of the Emitter: 12V
- Work Frequency: 315 Mhz
- Remote Control: 120m (in open air)
- Sound Type: 38 Songs Optional




### TUCSON

**NEW**

#### Specification

- Detection Range: 180°
- Detection Source: 220-240V/AC
- Power Frequency: 50/60Hz
- Rated Load: Max. 800W
- Detection Distance: 12m Max. (-24°C)
- Time Delay: Min. 10sec ± 3sec Max. 15min ± 2min
- Ambient Light: <3-2000LUX (adjustable)
- Installation Height: 1.8-2.5m
- Detection Motion Speed: 0.6-1.5m/s

088 001 0009




### MONDEO

**NEW**

#### Specification

- Detection Range: 360°
- Detection Source: 220-240V/AC
- Power Frequency: 50/60Hz
- Rated Load: Max. 800W
- Detection Distance: 6m Max. (-24°C)
- Time Delay: Min. 10sec ± 3sec Max. 15min ± 2min
- Ambient Light: <3-2000LUX (adjustable)
- Installation Height: 2.2-4m
- Detection Motion Speed: 0.6-1.5m/s

088 001 0010



### ROVER

**NEW**

#### Specification

- Detection Angle: 360°
- Detection Source: 220-240V/AC
- Power Frequency: 50/60Hz
- Rated Load: Max. 800W
- Detection Distance: 6m Max. (-24°C)
- Time Delay: Min. 10sec ± 3sec Max. 15min ± 2min
- Ambient Light: <3-2000LUX (adjustable)
- Installation Height: 2.2-4m
- Detection Motion Speed: 0.6-1.5m/s

088 001 0011




088 001 0005  
HL 484

### SMART

#### Specification

- Operation Voltage: 220-240V / 50-60Hz AC
- Rated Load: Max. 1200W
- Detection Distance: 6m Max. (-24°C)
- Time-delay: 10s to 7 min (adjustable)
- Ambient Light: 10Lux / 2000Lux (choice)




088 001 0006  
HL 485

### CORSA

#### Specification

- Operation Voltage: 220-240V / 50-60Hz AC
- Rated Load: Max. 1200W
- Detection Distance: 6m Max. (-24°C)
- Time-delay: 10s to 7 min (adjustable)
- Ambient Light: 3Lux / 2000Lux (adjustable)
- Detection Motion Speed: 0.6-1.5m/s
- Installation Height: 2.2-4m




088 001 0001  
HL 480

### FOCUS

#### Specification

- Operation Voltage: 220-240V / 50-60Hz
- Rated Load: Max. 1000W
- Detection Distance: 8 ± 1m Max. (-24°C)
- Time-delay: 5 sec - 10 ± 2 min.
- Ambient Light: <10Lux - 2000Lux



WHITE

BLACK

088 001 0007

### POLO

#### Specification

**HL 486**  
**MICROWAVE SENSOR**  
*Detection is possible to go through doors, panes of glass or thin walls*



#### Specification

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 1-8 m (radius) adjustable
- Time-delay: Min. 10 sec ± 3 sec, Max. 12 min ± 1 min
- Ambient Light: < 3 - 2000Lux (adjustable)
- Rated Load: Max 1200W
- Detection Motion Speed: 0,6-1,5 m/s

088 001 0008

### MEGANE

#### INFRARED MOTION SENSOR

#### Specification



#### Specification


- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 12 m Max. (-24°C)
- Time-delay: Min. 10 sec ± 3 sec, Max. 7 min ± 2 min
- Ambient Light: < 3 - 2000Lux (adjustable)
- Rated Load: Max. 1200W
- Detection Motion Speed: 0,6-1,5 m/s

088 001 0002

### CORONA

#### Specification

**HL 481**



WHITE


BLACK



088 001 0004

### GOLF

**HL 483**




#### Specification

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 6 ± 2 m Max. (-24°C)
- Time-delay: Max: 5 sec - 10 ± 2 min. (adjustable)
- Ambient Light: < 10Lux - 1000Lux
- Sound Control Sensitivity: 30db - 90db (adjustable)
- Rated Load: Max. 500W

088 001 0003

### LINEA

**HL 482**



WHITE

BLACK




#### Light Control Photosensor

### FLEX

#### Specification

089 001 0002

**HL 471**



- Operation Voltage: 220-240V / 50-60Hz
- Ambient Light: < 50Lux
- Load Power: 1200W (10A)


#### Light Control Photosensor

### LUXOR

#### Specification

089 001 0003

**HL 472**



- Operation Voltage: 220-240V / 50-60Hz
- Ambient Light: < 50Lux
- Load Power: 2700W (25A)


#### Light Control Photosensor

### FLASH

#### Specification

089 001 0001

**HL 470**



- Operation Voltage: 220-240V / 50-60Hz
- Ambient Light: < 50Lux
- Load Power: 1000W (6A)

### CONTROLLER-1


105 001 0001

Wireless Lighting  
Controller Switch



#### Specification


- Working voltage: AC 180-240V 50Hz
- Operation Range: 30m-60m in 360 degree (in open area)
- Tungsten filament lamps≤1000W  
Energy saving lamp/LED≤300W  
Energy saving lamp/LED≤6 PCS
- Working voltage: 12V(A23 alkaline battery)



### CONTROLLER-2


105 001 0002

Wireless Lighting  
Controller Switch



#### Specification

- Working voltage: AC 180-240V 50Hz
- Operation Range: 30m-60m in 360 degree (in open area)
- Tungsten filament lamps≤1000W  
Energy saving lamp/LED≤300W  
Energy saving lamp/LED≤6 PCS
- Working voltage: 12V(A23 alkaline battery)



### CONTROLLER-3


105 001 0003

Wireless Lighting  
Controller Switch



#### Specification

- Working voltage: AC 180-240V 50Hz
- Operation Range: 30m-60m in 360 degree (in open area)
- Tungsten filament lamps≤1000W  
Energy saving lamp/LED≤300W  
Energy saving lamp/LED≤6 PCS
- Working voltage: 12V(A23 alkaline battery)




### TIMER-1

108 001 0001



#### Mechanical Daily Timer Plug

- Working voltage: AC 220-240V 50Hz
- Power: 3500W
- Current: 16A
- 24 On/Off Programs
- Minimum Setting: 30 minutes
- 24 Hours Programming=
- No Power Reserve
- Not Included Battery



### TIMER-2

108 002 0001



#### Digital Weekly Electronic Timer Plug

- Working voltage: AC 220-240V 50Hz
- Power: 3500W
- Current: 16A
- 20 On/Off Programs
- Minimum Setting: 1 minutes
- With Battery NI-Mh
- Power Reserve
- Included Battery



### TIMER-3

108 003 0001



#### Mechanical Daily Slim Timer

- Working voltage: AC 220-240V 50Hz
- Power: 3500W
- Current: 16A
- 48 On/Off Programs
- Minimum Setting: 15 minutes
- 24 Hours Programming
- Power Reserve
- Included Battery



### PLUG IN SWITCH

### AXIS


113 001 0001

2 X USB  
CHARGING  
SOCKET

NEW




- Working Voltage: 250V-
- Power: Max.3680W
- Current: 16A
- Child Protection Shutter
- Working signal indicator
- USB O/P: DC 5V, Max 2.1A







094 001 0001 HL 580



094 002 0001 HL 584




094 003 0001 HL 590




## Lamp Holder



094 002 0002 HL 585




094 003 0002 HL 591




LAMP HOLDER


094 001 0002 HL 581




094 002 0003 HL 586




094 003 0003 HL 592




094 001 0003 HL 582




094 002 0004 HL 587




094 003 0004 HL 593



094 001 0004 HL 583



094 004 0001 HL 550




10 cm.  
20 cm.




094 004 0002 HL 551

15 cm.




**Starter S2**



- 220-240V SINGLE
- 4-6-8-15-18-22W
- 110-130V SINGLE
- 220-240V SERIES 4-22W

**Starter S10**



- 220-240V SINGLE
- 4-65W

Starter / Socket / Connector / UTP Cat5e / UTP Cat6e / Cable Tie / Nail Cable Clip / RG6 / Adhesive Tape / Drywall Kit Apparatus / Electronic Transformer



**DRY KIT**

111 001 0001

- Drywall Kit Apparatus
- For Star & Galaksi Series




**SOCKET**

- WATERPROOF LED STRIP: FOR 081-004-0001
- INPUT VOLTAGE: 220V AC
- CABLE FEATURE: 2x0,75mm2 Flexible
- ACCESSORIES: 5 pcs Silicon Clips, 1 pcs Connector, 1 pcs Middle Plug, 1 pcs End Cap
- Pin Types: 9 mm



**CONNECTOR**

MODEL: 053-001-Series



**ADHESIVE TAPE**

- 10 YARD
- 20 YARD
- WHITE
- YELLOW
- RED
- BLUE
- GREEN
- BLACK
- GREEN - YELLOW



093 001 0060

**TRANSFORMER-60**

**ELECTRONIC TRANSFORMER**

HL 370 12V, 60W

- 220-240V / 50-60Hz

093 001 0105

**TRANSFORMER-105**




HL 371 12V, 105W

093 001 0150

**TRANSFORMER-150**

HL 372 12V, 150W





### UTP Cat5e

■ NETWORK CABLE  
305m ROLL



### UTP Cat6

■ NETWORK CABLE  
305m ROLL



### RG6

COAXIAL CABLE  
100m ROLL



6,8 PVC | 64x0,12 AL. BRAIDING | AL. FOIL BONDED | 4,8 FPE | 1,02 CCS


STARTER / SOCKET / CONNECTOR / UTP CAT5E / UTP CAT6E CABLE TIE / NAIL CABLE CLIP / RG6 / ADHESIVE TAPE / DRYWALL KIT APPARATUS

### NAIL CABLE CLIP



CIRCLE	NAIL
4 mm	1.7 x 15
5 mm	1.7 x 15
6 mm	1.7 x 17
7 mm	1.8 x 19
8 mm	1.9 x 21
9 mm	2.0 x 22
10 mm	2.05 x 25
12 mm	2.05 x 27
14 mm	2.4 x 32
16 mm	2.5 x 35
18 mm	2.5 x 37
22 mm	2.8 x 48

### CABLE TIE



- 2,5\*100
- 2,5\*150
- 2,5\*200
- 3,6\*150
- 3,6\*200
- 3,6\*250
- 3,6\*280
- 3,6\*300
- 3,6\*370
- 4,8\*200
- 4,8\*250
- 4,8\*300
- 4,8\*350
- 4,8\*370
- 4,8\*400
- 7,2\*300
- 7,2\*350
- 7,2\*400
- 7,2\*450
- 9\*550
- 9\*650
- 9\*750
- 9\*1020







106 002 0015

WIRE SPRING-2/1.5

106 002 0025


WIRE SPRING-2/2.5

106 002 0060

WIRE SPRING-2/6

### 2 Pole Wire Spring Connector

- 0,2-1,5 mm<sup>2</sup> / 0,5-2,5 mm<sup>2</sup> / 1,5-6,0 mm<sup>2</sup>
- 5A/380V / 10A/380V / 25A/380V
- 2 Pole



106 003 0015

WIRE SPRING-3/1.5

106 003 0025


WIRE SPRING-3/2.5

106 003 0060

WIRE SPRING-3/6

### 3 Pole Wire Spring Connector

- 0,2-1,5 mm<sup>2</sup> / 0,5-2,5 mm<sup>2</sup> / 1,5-6,0 mm<sup>2</sup>
- 5A/380V / 10A/380V / 25A/380V
- 3 Pole



## Terminal Block Compact Connector Wire Spring Connector




103 001 0002

2 POLE COMPACT CONNECTOR

CONNECTOR-2

- Voltage: 400V/4kV-
- Max. 32A
- Wire Range: 0.08 - 4 mm<sup>2</sup>
- Wiring Type: Spring Clamping 28-10AWG



TERMINAL BLOCK

- 3 A, 4 mm<sup>2</sup>
- 5 A, 6 mm<sup>2</sup>
- 10 A, 10 mm<sup>2</sup>
- 30 A, 16 mm<sup>2</sup>
- 60 A, 25 mm<sup>2</sup>




103 001 0003

3 POLE COMPACT CONNECTOR

CONNECTOR-3

- Voltage: 400V/4kV-
- Max. 32A
- Wire Range: 0.08 - 4 mm<sup>2</sup>
- Wiring Type: Spring Clamping 28-10AWG




103 001 0005

5 POLE COMPACT CONNECTOR

CONNECTOR-5

- Voltage: 400V/4kV-
- Max. 32A
- Wire Range: 0.08 - 4 mm<sup>2</sup>
- Wiring Type: Spring Clamping 28-10AWG






104 006 0015

CABLE REEL

**REEL-15**

**15 meters**

- Operation Voltage: 250V~/50-60Hz
- Max. 3500W
- Max. 16A
- 3x1.5 mm<sup>2</sup>
- 4 Sockets
- 15 Meters
- Overload Protection




104 006 0025

CABLE REEL

**REEL-25**

**25 meters**

- Operation Voltage: 250V~/50-60Hz
- Max. 3500W
- Max. 16A
- 3x1.5 mm<sup>2</sup>
- 4 Sockets
- 25 Meters
- Overload Protection



CABLE REEL




104 006 0050

CABLE REEL

**REEL-50**

**50 meters**

- Operation Voltage: 250V~/50-60Hz
- Max. 3500W
- Max. 16A
- 3x1.5 mm<sup>2</sup>
- 4 Sockets
- 50 Meters
- Overload Protection




104 007 0025

CABLE REEL

**EMPTY-25**

**WITHOUT CABLE/25 meters**

- Operation Voltage: 250V~/50-60Hz
- Max. 3500W
- Max. 16A
- 3x1.5 mm<sup>2</sup>
- 4 Sockets
- 25 Meters
- Overload Protection



# KaçmazGrup

High Quality High Performance



A world map with various countries highlighted in different colors. Dashed lines of various colors (red, orange, blue, green, purple) connect specific locations on the map to a vertical list of company logos on the right. The logos are for various subsidiaries of KaçmazGrup, including:

- HOROZ ELECTRIC TURKEY** (Turkey)
- İREM ELEKTRİK TURKEY** (Turkey)
- HOROZ ELECTRIC COMPANY IRAQ** (Iraq)
- HOROZ ELECTRIC RUSSIA** (Russia)
- HOROZ ELECTRIC EUROPE BELGIUM** (Belgium)
- HOROZ ELECTRIC ROMANIA** (Romania)
- HOROZ ELECTRIC UKRAINE** (Ukraine)
- HOROZ ELECTRIC ASIA KAZAKHSTAN** (Kazakhstan)
- TEB ELEKTRİK TURKEY** (Turkey)
- ORKA CONSTRUCTION TURKEY** (Turkey)
- ROYAL SANAT CONSTRUCTION TURKEY** (Turkey)
- LAVİNTEK İNŞAAT A.Ş. TURKEY** (Turkey)

Labels on the map include: BELGIUM, ROMANIA, UKRAINE, TURKEY, IRAQ, RUSSIA, KAZAKHSTAN.

[www.kacmazgroup.com](http://www.kacmazgroup.com)



[www.facebook.com/horozelectric](http://www.facebook.com/horozelectric)



[twitter.com/HorozElectric](https://twitter.com/HorozElectric)



[www.linkedin.com/company/horozk-elektrik-ve-elektronik-tic-koll-siti](http://www.linkedin.com/company/horozk-elektrik-ve-elektronik-tic-koll-siti)